

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1a. TYPE OF WORK DRILL <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/>			5. LEASE DESIGNATION AND SERIAL NO. U-0576	
1b. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> SINGLE ZONE <input type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/>			6. IF INDIAN, ALLOTTEE OR TRIBE NAME N/A	
2. NAME OF OPERATOR Coastal Oil & Gas Corporation			7. UNIT AGREEMENT NAME Natural Buttes Unit	
3. ADDRESS AND TELEPHONE NO. P.O. Box 749, Denver, CO 80201-0749 (303) 573-4455			8. FARM OR LEASE NAME, WELL NO. NBU 307	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. *) At surface 173 569' FNL & 1936' FEL At proposed prod. zone			9. API WELL NO.	
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* Approximately 14.25 miles southeast of Ouray, Utah.			10. FIELD AND POOL, OR WILDCAT Natural Buttes Field	
15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 569'		16. NO. OF ACRES IN LEASE 1480	17. NO. OF ACRES ASSIGNED TO THIS WELL N/A	
18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. See Topo Map C		19. PROPOSED DEPTH 6,800'	20. ROTARY OR CABLE TOOLS Rotary	
21. ELEVATIONS (Show whether DF, RT, GR, etc.) Ungraded GR - 4923.9'			22. APPROX. DATE WORK WILL START* Upon approval	

23. PROPOSED CASING AND CEMENTING PROGRAM				
SIZE OF HOLE	GRADE SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
See Attached				
Drilling Program				

Coastal Oil & Gas Corporation proposes to drill a well to the proposed TD as stated above. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements.

See the attached Drilling Program and Multi-point Surface Use & Operations Plan.

Coastal Oil & Gas Corporation is considered to be the operator of the subject well. It agrees to be responsible under the terms and conditions of the lease for operations conducted upon the leased lands. Bond coverage pursuant to 43 CFR 3104 for lease activities is being provided for by Coastal bonds: BLM Nationwide #U605382-9 and State of Utah #102103.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. Sheila Bremer Environmental & Safety Analyst DATE 10/21/97
SIGNED TITLE

(This space for Federal or State office use)

PERMIT NO. 43-047-33007 APPROVAL DATE _____

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

CONDITIONS OF APPROVAL, IF ANY: **Federal Approval of this Action is Necessary**

APPROVED BY Bradley G. Hill TITLE RECLAMATION SPECIALIST III DATE 5/12/98
*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

COASTAL OIL & GAS CORP.


BASIS OF ELEVATION

CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAN WAS PREPARED FROM
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR
REGISTRATION NO. 161319
STATE OF UTAH

SCALE 1" = 1000'	DATE SURVEYED: 1-28-97	DATE DRAWN: 1-31-97
PARTY D.K. H.L. D.COX	REFERENCES G.L.O. PLAT	
WEATHER COOL	FILE COASTAL OIL & GAS CORP.	



LEGEND:

- L = 90° SYMBOL
 ● = PROPOSED WELL HEAD.
 ▲ = SECTION CORNERS LOCATED.

**NBU 307
569' FNL & 1936' FEL
SECTION 28-T9S-R21E
UINTAH COUNTY, UTAH
LEASE NUMBER: U-0576**

**ONSHORE ORDER NO. 1
COASTAL OIL & GAS CORPORATION**

DRILLING PROGRAM

1. Estimated Tops of Important Geologic Markers:

Formation	Depth
Duchesne River/Uinta	Surface
Green River	1,625'
Wasatch	4,910'
Total Depth	6,800'

2. Estimated Depths of Anticipated Water, Oil, Gas, or Mineral Formations:

Substance	Formation	Depth
Oil/Gas	Green River	1,625'
	Wasatch	4,910'
Water	N/A	
Other Minerals	N/A	

3. Pressure Control Equipment:

Please see the Natural Buttes Unit Standard Operating Procedure (SOP).

4. Proposed Casing & Cementing Program:

Please see the Natural Buttes Unit SOP.

5. Drilling Fluids Program:

Please see the Natural Buttes Unit SOP.

6. Evaluation Program:

Please see the Natural Buttes Unit SOP.

7. Abnormal Conditions:

Maximum anticipated bottomhole pressure approximately equals 2,720 psi (calculated at 0.4 psi/foot).

Maximum anticipated surface pressure equals approximately 1,224 psi (bottomhole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot).

8. Anticipated Starting Dates & Notification of Operations:

Please see the Natural Buttes Unit SOP.

9. Variances:

Please see the Natural Buttes Unit SOP.

10. Other Information:

Please see the Natural Buttes Unit SOP.

**NBU 307
569' FNL & 1936' FEL
NW/NE, SECTION 28-T9S-R21E
UINTAH COUNTY, UTAH
LEASE NUMBER: U-0576**

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

An onsite inspection was conducted for the NBU 307 on 10/14/97 at approximately 11:00 a.m. Weather conditions were sunny and clear with moderate temperatures at the time of the onsite. In attendance at the inspection were the following individuals:

Sheila Bremer	Coastal Oil & Gas Corporation
Paul Breshears	Coastal Oil & Gas Corporation
Byron Tolman	Bureau of Land Management
Jean Sinclair	Bureau of Land Management
Steve Strong	Bureau of Land Management
Robert Kay	Uintah Engineering & Land Surveying
Harley Jackson	Jackson Construction
Jim Justice	J-West
John Faucett	John E. Faucett Construction

1. Existing Roads:

The proposed well site is approximately 14.25 miles southeast of Ouray, Utah. Directions to the location from Ouray, Utah:

Proceed south from Ouray ± 6.9 miles on the Seep Ridge Road to the junction of this road and an existing oil field service road to the east; turn left and proceed in an easterly direction ± 5.0 miles to the junction of this road and an existing road to the north; turn left and proceed in a northerly direction ± 0.3 miles to the junction of this road and an existing road to the northeast; turn right and proceed in a northeasterly direction ± 1.3 miles to the junction of this road and an existing road to the north; turn left and proceed in a northerly direction ± 0.15 miles to the existing NBU #133 location; proceed in a northerly then northwesterly direction ± 0.3 miles to the beginning of the proposed access road to the northeast; follow road flags in a northerly then easterly direction ± 0.3 miles to the proposed location.

Refer to Topo Maps A and B for location of access roads within a 2-mile radius.

There will be no improvements made to existing access roads.

2. Planned Access Roads:

Please see the Natural Buttes Unit Standard Operating Procedure (SOP).

Refer to Topo Map B for the location of the proposed access road.

3. **Location of Existing Wells Within a 1-Mile Radius:**

Please refer to Topo Map C.

4. **Location of Existing & Proposed Facilities:**

Please see the Natural Buttes Unit SOP.

Refer to Topo Map D for the location of the proposed pipeline.

5. **Location and Type of Water Supply:**

Please see the Natural Buttes Unit SOP.

6. **Source of Construction Materials:**

Please see the Natural Buttes Unit SOP.

7. **Methods of Handling Waste Materials:**

Please see the Natural Buttes Unit SOP.

8. **Ancillary Facilities:**

Please see the Natural Buttes Unit SOP.

9. **Well Site Layout:** (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills, and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Please see the attached diagram to describe rig orientation, parking areas, and access roads.

As per the onsite discussions, a reserve pit liner will not be required unless the pit is blasted during construction. Also, a water diversion dam will be constructed between Corners #5 and #6, as shown on the Location Layout Diagram, in order to divert the existing drainage off of the location.

10. **Plans for Reclamation of the Surface:**

Please see the Natural Buttes Unit SOP.

The following seed mixture will be used to reclaim the surface. A total of 12 lbs./acre will be used if the seeds are drilled (24 lbs./acre if the seeds are broadcast). The per acre requirements for drilled seed are:

Four Wing Salt Bush	4 lbs.
Needle & Thread	3 lbs.
Shadscale	3 lbs.
Galleta	2 lbs.

11. **Surface Ownership:**

The well pad and access road are located on lands owned by:

United States of America
Bureau of Land Management
170 South 500 East
Vernal, Utah 84078
(801) 789-1362

12. **Other Information:**

A Class III archaeological survey was conducted by Metcalf Archaeological Consultants. A copy of this report was submitted directly to the appropriate agencies by Metcalf Archaeological Consultants. Cultural resource clearance was recommended for this location.

13. **Lessee's or Operators's Representative & Certification:**

Sheila Bremer
Environmental & Safety Analyst
Coastal Oil & Gas Corporation
P.O. Box 749
Denver, CO 80201-0749
(303) 573-4455

Tom Young
Drilling Manager
Coastal Oil & Gas Corporation
9 Greenway Plaza, Suite 2770
Houston, TX 77046
(713) 418-4156

Certification: All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice to Lessees.

The Operator will be fully responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

I hereby certify that I, or persons under my supervision, have inspected the proposed drill site and access route, that I am familiar with the conditions that currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and the work associated with the operations proposed herein will be performed by the Operator, its contractors, and subcontractors in conformity with this plan and the terms and conditions under which it is approved.


Sheila Bremer

10/21/97
Date

COASTAL OIL & GAS CORP.


LOCATION LAYOUT FOR

NBU #307

SECTION 28, T9S, R21E, S.L.B.&M.

569' FNL 1936' FEL


CONSTRUCT
DIVERSION
DITCH



SCALE: 1" = 50'
DATE: 02-3-97
Drawn By: D.COX
Revised: 10-15-97 C.G.

NOTE:

Flare Pit is to be located
a min. of 100' from the
Well Head.



NOTES:

Elev. Ungraded Ground At Loc. Stake = 4923.9'

FINISHED GRADE ELEV. AT LOC. STAKE = 4922.1'

FIGURE #1

UINTAH ENGINEERING & LAND SURVEYING

85 South 200 East Vernal, Utah



COASTAL OIL & GAS CORP.

TYPICAL CROSS SECTIONS FOR

NBU #307

SECTION 28, T9S, R21E, S.L.B.&M.

569' FNL 1936' FEL



DATE: 02-3-97
Drawn By: D.COX








FIGURE #2

APPROXIMATE YARDAGES

CUT	
(6") Topsoil Stripping	= 1,140 Cu. Yds.
Remaining Location	= 5,110 Cu. Yds.
TOTAL CUT	= 6,250 CU.YDS.
FILL	= 3,580 CU.YDS.

EXCESS MATERIAL AFTER 5% COMPACTION	= 2,480 Cu. Yds.
Topsoil & Pit Backfill (1/2 Pit Vol.)	= 2,480 Cu. Yds.
EXCESS UNBALANCE (After Rehabilitation)	= 0 Cu. Yds.



UELS

**TOPOGRAPHIC
MAP "A"**

DATE: 1-29-97
Drawn by: D.COX




COASTAL OIL & GAS CORP.

**NBU #307
SECTION 28, T9S, R21E, S.L.B.&M.
569' FNL 1936' FEL**

UNTAEH ENGINEERING & LAND SURVEYING
85 So. 200 East • Vernal, Utah 84078 • (801) 799-1017

**R
21
E**



LEGEND:

UEIS

- Water Wells
- Abandoned Wells
- Temporarily Abandoned Wells
- Disposal Wells
- Drilling Wells
- Producing Wells
- Shut-in Wells




COASTAL OIL & GAS CORP.
NBU #307
SECTION 28, T9S, R21E, S.L.B.&M.
TOPOGRAPHIC MAP "C"

DATE: 1-29-97
Drawn by: D.COX

SCALE: 1" = 2000'

Utah Engineering & Land Surveying
 85 So. 200 East • Vernal, Utah 84078 • (801) 789-1017

**R
21
E**



APPROXIMATE HIGH PRESSURE PIPELINE DISTANCE = 100' +/-

T9S

UELS

**TOPOGRAPHIC
MAP "D"**

— — — — — Existing Pipeline
- - - - - Proposed Pipeline




COASTAL OIL & GAS CORP.

**NBU #307
SECTION 28, T9S, R21E, S.L.B.&M.**

**DATE: 3-7-97
Drawn by: D.COX
REVISED: 8-10-97 D.COX**

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East • Vernal, Utah 84078 • (801) 789-1017

SCALE: 1" = 1000'



UELS

**TOPOGRAPHIC
MAP "B"**

DATE: 1-29-97
Drawn by: D.COX

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East • Vernal, Utah 84078 • (801) 789-1017



SCALE: 1" = 2000'

COASTAL OIL & GAS CORP.

NBU #307
SECTION 28, T9S, R21E, S.L.B.&M.
569' FNL 1936' FEL

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 10/27/97

API NO. ASSIGNED: 43-047-33007

WELL NAME: NBU 307

OPERATOR: COASTAL OIL & GAS (N0230)

PROPOSED LOCATION:

NWNE 28 - T09S - R21E
SURFACE: 0569-FNL-1936-FEL
BOTTOM: 0569-FNL-1936-FEL
UINTAH COUNTY
NATURAL BUTTES FIELD (630)

LEASE TYPE: FED

LEASE NUMBER: U - 576

PROPOSED PRODUCING FORMATION: WSTC

INSPECT LOCATION BY: / /

TECH REVIEW	Initials	Date
Engineering		
Geology		
Surface		

RECEIVED AND/OR REVIEWED:


☒ Plat
☒ Bond: Federal ☒ State ☐ Fee ☐
(Number 4605382-9)
☒ Potash (Y/N)
☒ Oil shale (Y/N)
☒ Water permit
(Number 43-8496)
☒ RDCC Review (Y/N)
(Date: _____)

LOCATION AND SITING:

☒ R649-2-3. Unit: NATURAL BUTTES
☐ R649-3-2. General.
☐ R649-3-3. Exception.
☐ Drilling Unit.
Board Cause no: _____
Date: _____

COMMENTS:

STIPULATIONS: ① FEDERAL APPROVAL




DIVISION OF OIL, GAS & MINING

OPERATOR: COASTAL OIL & GAS (N0230)

FIELD: NATURAL BUTTES (630)

SEC. TWP, RNG: 1, T10S, R20E, & 28, & 30, T9S, R21E

COUNTY: UINTAH UAC: R649-2-3 NAUTRAL BUTTES



DATE PREPARED:
29-OCT-1997

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1a. TYPE OF WORK DRILL <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. U-0576	
b. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> SINGLE ZONE <input type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME N/A	
2. NAME OF OPERATOR Coastal Oil & Gas Corporation		7. UNIT AGREEMENT NAME Natural Buttes Unit UTU63047A	
3. ADDRESS AND TELEPHONE NO. P.O. Box 749, Denver, CO 80201-0749 (303) 573-4455		8. FARM OR LEASE NAME, WELL NO. NBU 307	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements) At surface 569' FNL & 1936' FEL At proposed prod. zone OCT 24 1997		9. API WELL NO.	
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* Approximately 14.25 miles southeast of Ouray, Utah.		10. FIELD AND POOL, OR WILDCAT Natural Buttes Field	
15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 569'		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Section 28 T9S-R21E	
16. NO. OF ACRES IN LEASE 1480		12. COUNTY OR PARISH Uintah	
17. NO. OF ACRES ASSIGNED TO THIS WELL N/A		13. STATE Utah	
18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. See Topo Map C		19. PROPOSED DEPTH 6,800'	
20. ROTARY OR CABLE TOOLS Rotary		22. APPROX. DATE WORK WILL START* Upon approval	
21. ELEVATIONS (Show whether DF, RT, GR, etc.) Ungraded GR - 4923.9'			

23. PROPOSED CASING AND CEMENTING PROGRAM				
SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
See Attached				
Drilling Program				

Coastal Oil & Gas Corporation proposes to drill a well to the proposed TD as stated above. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements.

See the attached Drilling Program and Multi-point Surface Use & Operations Plan.

Coastal Oil & Gas Corporation is considered to be the operator of the subject well. It agrees to be responsible under the terms and conditions of the lease for operations conducted upon the leased lands. Bond coverage pursuant to 43 CFR 3104 for lease activities is being provided for by Coastal bonds: BLM Nationwide #U605382-9 and State of Utah #102103.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. Sheila Bremer Environmental & Safety Analyst DATE 10/21/97
SIGNED TITLE

(This space for Federal or State office use)

NOTICE OF APPROVAL CONDITIONS OF APPROVAL ATTACHED
PERMIT NO. APPROVAL DATE

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY Howard B. Cleavage TITLE Assistant Field Manager DATE MAR 05 1998
Mineral Resources

*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UTU63047A

CONDITIONS OF APPROVAL
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Coastal Oil & Gas Corporation

Well Name & Number: NBU 307

API Number: 43-047-33007

Lease Number: U-0576

Location: NWNE Sec. 28 T. 0910S R. 21E

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

SURFACE USE PROGRAM

- The reserve pit topsoil should be piled separately as shown on the cut sheet.
- The reserve pit should be lined if blasting is need to construct the pit.
- The location topsoil pile should be seeded immediately after the soil is piled by broadcasting the seed, then walking the topsoil pile with the dozer to plant the seed. The seed mix is provided in the APD. All poundages are in Pure Live Seed.
- Once the reserve pit is dry, it should be filled, recontoured, topsoil spread, and seeded in the same manner discussed above.



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor
Ted Stewart
Executive Director
Lowell P. Braxton
Division Director

1584 West North Temple, Suite 1210
PO Box 145801
Salt Lake City, Utah 84114-5801
801-538-5340
801-359-3940 (Fax)
801-538-7223 (TDD)

May 12, 1998

Coastal Oil & Gas Corporation
P.O. Box 749
Denver, Colorado 80201-0749


Re: NBU 307 Well, 569' FNL, 1936' FEL, NW NE, Sec. 28,
T. 9 S., R. 21 E., Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-33007.

Sincerely,


John R. Baza
Associate Director

lwp

Enclosures

cc: Uintah County Assessor
Bureau of Land Management, Vernal District Office

Operator: Coastal Oil & Gas Corporation
Well Name & Number: NBU 307
API Number: 43-047-33007
Lease: U-0576
Location: NW NE Sec. 28 T. 9 S. R. 21 E.

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for Permit to Drill.

2. Notification Requirements

Notify the Division within 24 hours prior to spudding the well or commencing drilling operations. Contact Jim Thompson at (801) 538-5336.

Notify the Division prior to commencing operations to plug and abandon the well. Contact Dan Jarvis at (801) 538-5338 or Robert Krueger at (801) 538-5274.

3. Reporting Requirements

All required reports, forms and submittals shall be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supercede the required federal approval which must be obtained prior to drilling.


5. In accordance with the Order in Cause No. 190-5(b) dated October 28, 1982, the operator shall comply with the requirements of Rule R649-3-31 pertaining to Designated Oil Shale Areas. Additionally, the operator shall ensure that the 4½" casing is cemented over the entire oil shale section as defined by Rule R649-3-31 (approximately 2,490' to 2,588' G.L.).

WELL	Regr'd T.O.C. AND T.O.S.*	THK**	REQUIRED CEMENT INTERVAL (G.L.) BOS OR TOS
	T.O.S. (G.L.)		
CIG-231	2,092'	108'	1,984' to 2,092'
CIG-233	2,421'	106'	2,315 to 2,421'
CIG-208	3,017'	82'	2,935 to 3,017'
NBU-300	2,603'	104'	2,499 to 2,603'
NBU-307	2,588'	98'	2,490 to 2,588'
NBU-308	2,603'	96'	2,507 to 2,603'
NBU-294	2,307	88'	2,219 to 2,307'

* From USGS Mahogany Oil Shale Study Plate 2, 1993
 ** " " " " " " " 3, 1993

Two options for oil shale wells above are:


- (A) Pump cement for primary cement on production casing (per SOP) to T.O.S. for top. OR
- (B) Add an intermediate casing string to bottom of shale (B.O.S, variance from SOP) & cement per above intervals.



2/3

RJK 5-20-98
Oil Shale Top
in ft G.L.
USGS, 1993

RJK
ENR
1998



COASTAL OIL & GAS CORPORATION
NATURAL BUTTES UNIT
Uintah County, Utah
STANDARD OPERATING PRACTICES

DRILLING PROGRAM

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Orders No. 1 and No. 2, and the approved Plan of Operations. The Operator is fully responsible for the actions of its subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.

BLM Notification Requirements

- | | |
|--------------------------------|--|
| Location Construction: | 48 hours prior to construction of location and access roads including, if applicable, the Ute Tribe Energy and Mineral Department. |
| Location Completion: | Prior to moving the drilling rig. |
| Spud Notice: | At least 24 hours prior to spudding the well. |
| Casing String & Cementing: | 24 hours prior to running casing and cementing all casing strings. |
| BOP & Related Equipment Tests: | 24 hours prior to initiating pressure tests. |
| First Production Notice: | Within 5 days after new well begins or production resumes after well has been off production for more than 90 days. |

Details of the on-site inspection, including date, time, weather conditions, and individuals present, will be submitted with the site specific APD.

1. **Estimated Tops of Important Geologic Markers:**

Formations and depths will be submitted with the site specific APD.

2. **Estimated Depths of Anticipated Water, Oil, Gas, or Mineral Formations:**

Formations and depths will be submitted with the site specific APD.

All usable (<10,000 ppm TDS) water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential. This information shall be reported to the Vernal Office.

Report all water shows and water bearing geologic units to the geologic/engineering staff of the Vernal Office prior to running the next string of casing or before plugging orders are requested. Usage of the State of Utah form Report of Water Encountered is acceptable, but not required.

NBU Field SOPsDrilling Program

Page 2

All water shows must be reported within 1 (one) business day after being encountered.

Detected water flows shall be sampled, analyzed, and reported to the geologic/engineering staff of the Vernal Office. The office may request additional water samples for further analysis.

The following information is requested for water shows and samples where applicable:

Location	Date Sampled
Sampled Interval	Temperature
Hardness	pH
Flow Rate	
Water Classification (according to State of Utah)	
Dissolved Iron (Fe) (ug/l)	Dissolved Calcium (Ca) (mg/l)
Dissolved Magnesium (Mg) (mg/l)	Dissolved Sodium (Na) (mg/l)
Dissolved Bicarbonate (NaHCO ₃) (mg/l)	Dissolved Carbonate (CO ₃) (mg/l)
Dissolved Sulfate ((SO ₄) (mg/l)	Dissolved Chloride (Cl) (mg/l)
Dissolved Total Solids (TDS) (mg/l)	

3. Pressure Control Equipment: (Schematic Attached)

Coastal Oil & Gas Corporation's minimum specifications for pressure control equipment are as follows:

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., for a 2M system when the well is drilled to the base of the Wasatch Formation, and for a 3M system when the anticipated target formation is the Mesaverde Formation, and individual components shall be operable as designed. Chart recorders will be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

All required BOP tests and/or drills shall be recorded in the IADC report.

If an air compressor is on location and is being utilized to provide air for the drilling medium while drilling, the special drilling requirements in Onshore Oil and Gas Order No. 2 regarding air or gas drilling shall be adhered to. If a mist system is being utilized, the requirement for a deduster shall be waived.

4. Proposed Casing and Cementing Program:

a. The proposed Casing Program will be as follows:

Purpose	Depth	Hole Size	Csg Size	Wt/ft	Grade	Type
Surface	0-250'	11" or 12-1/4"	8-5/8"	24#	K-55	ST&C
Production	0-TD	7-7/8"	4-1/2"	11.6#	N-80	LT&C

NBU Field SOPs

Drilling Program

Page 3

If drive pipe is used, it may be left in place if its total length is less than twenty feet below the surface. If the total length of the drive pipe is equal to or greater than twenty feet, it will be pulled prior to cementing surface casing, or it will be cemented in place.

The proposed casing and cementing program shall be conducted as approved to protect and/or isolate all usable water zones, potentially productive zones, lost circulation zones, abnormally pressured zones, and any prospectively valuable deposits of minerals. Any isolating medium other than cement shall receive approval prior to use. The casing setting depth shall be calculated to position the casing seat opposite a competent formation which will contain the maximum pressure to which it will be exposed during normal drilling operations. Determination of casing setting depth shall be based on all relevant factors, including: presence/absence of hydrocarbons, fracture gradients, usable water zones, formation pressures, lost circulation zones, other minerals, or other unusual characteristics.

All casing, except conductor casing, shall be new or reconditioned and tested. Used casing shall meet or exceed API standards for new casing.

The surface casing shall be cemented back to surface either during the primary cement job or by remedial cementing. ~~If drive pipe is used, it will be pulled prior to cementing surface casing.~~ *Replaced with*

As a minimum, usable water zones shall be isolated and/or protected by having a cement top for the production casing at least 200 feet above the base of the usable water. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

Top plugs shall be used to reduce contamination of cement by displacement fluid. A bottom plug or other acceptable technique, such as a suitable preflush fluid, inner string cement method, etc., shall be utilized to help isolate the cement from contamination by the mud being displaced ahead of the cement slurry.

All casing strings below the conductor shall be pressure tested to 0.22 psi per foot of casing string length or to 1500 psi, whichever is greater, but not to exceed 70% of the minimum internal yield. If pressure declines more than 10% in 30 minutes, corrective action shall be taken.

Casing design subject to revision based on geologic conditions encountered.

b. The Cement Program will be as follows:

Surface	Fill	Type & Amount
0-250'	250'	A minimum of 85 sx Class "G" + 2% CaCl ₂ , 15.6 ppg, 1.19 cf/sx (Cement will be circulated to surface, about 25% excess)

NBU Field SOPs**Drilling Program****Page 4****Production****Type & Amount**

500' above productive interval-surface

Lead: Extended, Lite, or Hi-Fill cement + additives, 11 or 12 ppg, 2.69 cf/sx

TD-500' above productive interval

Tail: Extended Class "G" or 50:50 Poz + additives, 14 ppg ; or RFC, 14.0-14.5 ppg, 1.57 cf/sx

For production casing, actual cement volumes will be determined from the caliper log plus 10 - 15% excess.

For surface casing, waiting on cement time will be adequate to achieve 500 psi compressive strength at the casing shoe prior to drilling out.

Anticipated cement tops will be reported as to depth, not the expected number of sacks of cement to be used. The Vernal District BLM Office should be notified, with sufficient lead time, in order to have a BLM representative on location while running all casing strings and cementing.

After cementing the surface pipe and/or any intermediate strings, but before commencing any test, the casing string shall stand cemented until the cement has reached a compressive strength of at least 500 psi at the shoe. WOC time shall be recorded in the Driller's Log.

- c. The following reports shall be filed with the District Manager within 30 days after the work is completed:

Progress reports, Form 3160-5, "Sundry Notices and Reports on Wells," must include the following information:

Setting of each string of casing showing the size, grade, weight of casing set, setting depth, amounts and type of cement used, whether cement circulated or the top of the cement behind the casing, depth of the cementing tools used, casing test method and results, and the date of the work done. Spud date will be shown on the first reports submitted.

- d. Auxiliary well control equipment to be used as follows:

1. Kelly cock.
2. A bit float is not deemed necessary.
3. A sub with a full opening (TTW) valve having threads compatible with drill string tubulars.

NBU Field SOPsDrilling Program

Page 5

5. Drilling Fluids Program:a. Wasatch wells:

<u>Interval</u>	<u>Type</u>	<u>Mud Weight</u>
0'-TD	Air/Air Mist/Aerated Water/Water (as hole conditions warrant). Displace hole to 10 ppg brine mud prior to logging.	8.4 ppg or less

Mesaverde wells:

<u>Interval</u>	<u>Type</u>	<u>Mud Weight</u>
0'-TD	Air/Air Mist/Aerated Water/Water (as hole conditions warrant). Depending on hole conditions, the hole will be displaced to either 10 ppg brine or drilling mud prior to logging. If hole conditions warrant, a mud system will be used.	8.4 ppg or less

- b. No chromate additives will be used in the mud system on Federal and/or Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.
- c. No chemicals subject to reporting under SARA Title III in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completing of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completing of this well.

6. Evaluation Program:a. Logging Program:

DLL/CALIPER:	TD to base of surface casing.
FDC/CNL/GR:	TD - 2,500'
Drill Stem Tests:	As deemed necessary.
Cores:	As deemed necessary.

When cement has not been circulated to surface, the cement top will be determined by either a temperature survey or cement bond log. Should a temperature survey fail to locate the cement top, a cement bond log will be run. A field copy will be submitted to the Vernal BLM office.

The Evaluation Program may change at the discretion of the well site geologist with approval by the Authorized Officer.

When utilized, mud or Lithology logs will be submitted to the Vernal BLM Office.

Drill stem tests, if they are run, will adhere to the following requirements:

Initial opening of the drill stem test tools shall be restricted to daylight hours unless specific approval to start during other hours is obtained from the Authorized Officer. However, DST's may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vapor-proof for safe operations). Packers can be released, but tripping shall not begin before daylight, unless prior approval is obtained from the Authorized Officer. Closed chamber DST's may be performed day or night.

Some means of reverse circulation shall be provided in case of flow to the surface showing evidence of hydrocarbons.

Separation equipment required for the anticipated recovery shall be properly installed before a test starts.

If a drill stem test is performed, all engines within 100 feet of the wellbore that are required to be operational during the test shall have spark arresters or water-cooled exhausts.

Daily drilling reports shall be submitted to the Vernal District BLM office after drilling operations are completed for each well, and daily completion records shall be submitted with the completion report for each well.

- b. Whether the well is completed as a dry hole or a producer, the "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. One copy of all logs, core descriptions, core analyses, well test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the Authorized Officer.

7. **Abnormal Conditions:**

No abnormal temperatures or pressures are anticipated. No hydrogen sulfide has been encountered or is known to exist from previous drilling in the area at this depth. Maximum anticipated bottomhole pressure will approximately equal total depth in feet multiplied by a 0.4 psi/foot gradient, and maximum anticipated surface pressure will be approximately equal to bottomhole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot. These pressures will be expressed in psi in each site specific APD.

NBU Field SOPs

Drilling Program

Page 7

8. Anticipated Starting Dates and Notification of Operations:

a. Drilling Activity

Anticipated Commencement Date: Upon approval of the site specific APD.
Drilling Days: Approximately 10 days.
Completion Days: Approximately 7 days.

b. Notification of Operations

The Vernal District BLM office will be notified at least 24 hours prior to the commencement of spudding the well (to be followed with a Sundry Notice, Form 3160-5), of initiating pressure tests of the blowout preventer and related equipment, and running casing and cementing of all casing strings. Notification will be made during regular work hours (7:45 a.m.-4:30 p.m., Monday - Friday except holidays).

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in suspended status without prior approval from the Authorized Officer. If operations are to be suspended, prior approval of the Authorized Officer will be obtained and notification given before resumption of operations.

A completion rig will be used for completion operations. All conditions of this approved plan will be applicable during all operations conducted with the completion rig.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

Operator shall report production data to the MMS pursuant to 30 CFR 216.5 using form MMS/3160. In accordance with Onshore Oil and Gas Order No.1, a well will be reported on form 3160-6, "Monthly Report of Operations," starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report will be filed with the Vernal BLM District Office.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated, or the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever occurs first; and for gas wells, as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated, or the date on which gas is measured through permanent metering facilities, whichever occurs first.

Should the well be successfully completed for production, the Authorized Officer will be notified when the well is placed in a producing status. Such notification will be sent by written communication not later than 5 days following the date when the well is placed on production.

NBU Field SOPs**Drilling Program**

Page 8

Pursuant to Onshore Order No. 7, with the approval of the District Engineer, produced water may be temporarily disposed of into unlined pits for a period of up to 90 days. During this period, an application for approval of the permanent disposal method must be submitted to the District Engineer.

Pursuant to NTL-4A, lessees or operators are authorized to vent/flare gas during the initial well evaluation tests, not to exceed 30 days or the production of 50 MMCF of gas, whichever occurs first. An application must be filed with the District Engineer and approval received for any venting/flaring of gas beyond the initial 30 days or authorized test period.

A schematic facilities diagram, as required by 43 CFR 3162.7-5 (b.9.d.), shall be submitted to the District Office within 60 days of installation or first production, whichever occurs first. All site security regulations, as specified in Onshore Oil & Gas Order No. 3, shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-5 (b.4).

Well abandonment operations shall not be commenced without the prior approval of the Authorized Officer. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the Authorized Officer. A "Subsequent Report of Abandonment," Form 3160-5, will be filed with the Authorized Officer within 30 days following completion of the well for abandonment. This report will indicate placement of the plugs and current status of the surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the Authorized Officer or his representative, or the appropriate surface managing agency.

Pursuant to Onshore Oil and Gas Order No. 1, lessees and operators have the responsibility to see that their exploration, development, production, and construction operations are conducted in a manner which conforms with applicable Federal laws and regulations and with the State and local laws, to the extent to which they are applicable, to operations on Federal or Indian lands.

9. Variances

The Operator requests approval to perform drilling operations without an automatic ignitor because drilling will be performed with an air/mist medium.

The Operator requests that the requirement for a deduster be waived if a mist system is utilized.

The Operator requests a variance from a straight-run blooie line.

10. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the Authorized Officer.

NBU Field SOPs

Drilling Program

Page 9

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted following initial installation and at least quarterly thereafter. The Authorized Officer will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

Deviations from the proposed drilling and/or workover program shall be approved by the Authorized Officer. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned, will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102 (b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the Authorized Officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

APD approval is valid for a period of one year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approval or notification is necessary, one of the following individuals will be contacted:

Wayne Bankert (801) 789-4170
Petroleum Engineer

Ed Forsman (801) 789-7077
Petroleum Engineer

Jerry Kenczka (801) 789-1190
Petroleum Engineer

BLM FAX Machine (801) 781-4410

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

VN. RED, 201, LPS, M... EL, LVI-DK, 141, DIL, JAD,
TWH, HDM, RLE

Budget Bureau No. 1004-0135

Expires: March 31, 1993

5. Lease Designation and Serial No.

Various

6. If Indian, Alottee or Tribe Name

Ute Tribe

7. If Unit of CA, Agreement Designation

Natural Buttes Unit

8. Well Name and No.

To be determined

9. API Well No.

To be determined

10. Field and Pool, or Exploratory Area

Natural Buttes

11. County or Parish, State

Uintah County, Utah

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT" - for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well

☐ Gas Well

☒ Other

Natural Buttes Field

2. Name of Operator

Coastal Oil & Gas Corporation

3. Address and Telephone No.

P. O. Box 749, Denver, CO 80201-0749

(303) 573-4476

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Future wells in Natural Buttes Unit

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☒ Other Standard Operating Procedure

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off

☐ Conversion to Injection

☐ Dispose Water

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.)

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

The operator requests permission to use the attached Standard Operating Procedure to describe the drilling program and surface use plan for future wells in the Natural Buttes Unit. The information contained herein will be supplemented by site-specific information necessary to complete the APD application on a well-by-well basis.

The described procedures include materials in addition to that previously sent on 5/20/97.

RECEIVED
MAY 30 1997

14. I hereby certify that the foregoing is true and correct.

Signed Bonnie Carson Title Senior Environmental Analyst Date 05/29/97

(This space for Federal or State office use)

APPROVED BY Edwin L. Johnson Title Assistant Field Manager Date JUN 03 1997

Conditions of approval, if any:

This 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make in any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See instruction on Reverse Side

OPERATOR

COASTAL OIL & GAS CORPORATION
600 17TH STREET, SUITE 800S
DENVER, COLORADO 80201

DATE: _____

FACSIMILE TRANSMITTAL PAGETHIS TRANSMISSION CONSISTS OF 25 PAGES (INCLUDING COVER)TO: Bob WagnerCOMPANY/FIRM: State of Utah DOGM

CITY/STATE: _____

FAX #: (801) 359-3940 CONFIRMATION #: _____FROM: Sheila BremerTELEPHONE #: (303) 573-4455INSTRUCTIONS: _____

CONFIDENTIALITY NOTICE: This message is intended only for the use of the individual or entity designated above, is confidential, and may contain information that is legally privileged or exempt from disclosure under applicable law. You are hereby notified that any dissemination, distribution, copying, or use of or reliance upon the information contained in and transmitted with this facsimile transmission by or to anyone other than the recipient designated above by the sender is not authorized and strictly prohibited. If you have received this communication in error, please immediately notify the sender by telephone and return it to the sender by U.S. Mail or destroy it if authorization is granted by the sender. Thank you.

IF YOU HAVE ANY TROUBLE RECEIVING THE ABOVE SPECIFIED PAGES, PLEASE NOTIFY SENDER.

COASTAL OIL & GAS CORPORATION
NATURAL BUTTES UNIT
Uintah County, Utah
STANDARD OPERATING PROCEDURES

MULTI-POINT SURFACE USE & OPERATIONS PLAN

1. **Existing Roads:**

The location of a particular well location will be shown on maps and described in the site specific APD.

Improvements to existing access roads will be noted in the site specific APD.

All existing roads will be maintained and kept in good repair during all drilling and completion operations associated with this well.

2. **Planned Access Roads:**

Descriptions of the access road will be included in site specific APD.

New access roads on BLM surface will be crowned (2 to 3%), ditched, and constructed with a running surface of 18 feet and a maximum disturbed width of 30 feet. Graveling or capping the roadbed will be performed as necessary to provide a well constructed, safe road. Prior to construction or upgrading, the proposed road shall be cleared of any snow and allowed to dry completely. On Ute Tribal, private, and/or state surface, access roads will be constructed according to the surface owner's specifications. These specifications or ROWs will be attached to the APD. Where deep cuts are required for road construction, or where intersections or sharp curves occur, or when approval is issued by the Authorized Officer, the road may be wider than 18 feet to accommodate larger equipment. Appropriate water control will be installed to control erosion.

Unless specified in the site specific APD, the following specifications will apply:

- No pipelines will be crossed with the new construction.
- The maximum grade will be less than 8%.
- There will be no turnouts.
- There will be no major cut and fills, culverts, or bridges. If it becomes necessary to install a culvert at some time after approval of the APD, the BLM will be notified of the installation via sundry.
- The access road will be centerline flagged during time of staking.
- There will be no gates, cattle guards, fence cuts, or modifications to existing facilities.

Surfacing material may be necessary, depending upon weather conditions.

Surface disturbance and vehicular traffic will be limited to the approved location and approved access route. Any additional area needed will be approved in advance.

Access roads and surface disturbing activities will conform to standards outlined in the BLM and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development, 1989.

The road surface and shoulders will be kept in a safe and usable condition and will be maintained in accordance with the original construction standards. All drainage ditches and culverts will be kept clear and free-flowing and will be maintained according to original construction standards. The access road right-of-way will be kept free of trash during operations. All traffic will be confined to the approved right-of-way. Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossing nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals by means of cutouts. Should mud holes develop, they shall be filled in and detours around them avoided. When snow is removed from the road during the winter months, the snow should be pushed outside of the burrow ditches and the turnouts kept clear so that snowmelt will be channeled away from the road.

3. Location of Existing Wells Within a 1-Mile Radius:

A map will be provided with the site specific APD showing the location of existing wells within a one mile radius.

4. Location of Existing and Proposed Facilities:

The following guidelines will apply if the well is productive.

- A dike will be constructed completely around those production facilities which contain fluids (i.e., production tanks, produced water tanks). These dikes will be constructed of compacted subsoil, be impervious, hold 100% of the capacity of the largest tank, and be independent of the back cut. The specific APD will address additional capacity if such is needed due to environmental concerns. (The use of topsoil for the construction of dikes will not be allowed.)
- All permanent (on site six months or longer) above the ground structures constructed or installed, including pumping units, will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the five state Rocky Mountain Inter-Agency Committee.

All facilities will be painted within six months of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) will be excluded. The required color is Desert Brown, Munsell standard color number 10 YR 6/3.

- A description of the proposed pipeline and a map will be included with the site specific APD.

5. Location and Type of Water Supply:

Unless otherwise specified in the site specific APD, water for drilling purposes will be obtained from Dalbo Inc.'s underground well located in Ouray, Utah, Section 32-T4S-R3E, Water User Claim #43-8496, Application #53617.

Water will be hauled to location over the roads marked on maps included with the site specific APD.

6. Source of Construction Materials:

Surface and subsoil materials in the immediate area will be utilized.

Any gravel will be obtained from a commercial source.

The use of materials under BLM jurisdiction will conform with 43 CFR 3610.2-3.

No construction materials will be removed from Federal/Indian lands without prior approval from the appropriate surface management agency.

7. Methods of Handling Waste Materials:

Drill cuttings will be contained and buried in the reserve pit.

Drilling fluids, including salts and chemicals, will be contained in the reserve pit. Upon termination of drilling and completion operations, the liquid contents of the reserve pit will be used at the next drill site or will be removed and disposed of at an approved waste disposal facility within 120 days after drilling is terminated. Immediately upon well completion, any hydrocarbons in the pit shall be removed in accordance with 43 CFR 3162.7-1.

Unless specified in the site specific APD, the reserve pit will be constructed on the location and will not be located within natural drainages, where a flood hazard exists or surface runoff will destroy or damage the pit walls. The reserve pit will be constructed so that it will not leak, break, or allow discharge of liquids.

If it is determined at the onsite inspection that a pit liner is necessary, the reserve pit will be lined with a synthetic reinforced liner a minimum of 10 mil thick, with sufficient bedding used to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. Trash or scrap that could puncture the liner will not be disposed of in the pit.

Reserve pit leaks are considered an undesirable event and will be orally reported to the Authorized Officer.

After first production, produced wastewater will be confined to the approved pit or storage tank for a period not to exceed 90 days. During the 90 day period, in accordance with Onshore Order # 7, an application for approval of a permanent disposal method and location will be submitted for the Authorized Officer's approval.

On BIA administered lands, production fluids will be contained in leak-proof tanks. All production fluids will be disposed of at approved disposal sites. Produced water, oil, and other byproducts will not be applied to roads or well pads for control of dust or weeds. The indiscriminate dumping of produced fluids on roads, well sites, or other areas will not be allowed.

Any spills of oil, gas, salt water, or other noxious fluids will be immediately cleaned up and removed to an approved disposal site.

A chemical porta-toilet will be furnished with the drilling rig.

Garbage, trash, and other waste materials will be collected in a portable, self-contained, fully enclosed trash cage during operations. Trash will not be burned on location.

All debris and other waste material not contained in the trash cage will be cleaned up and removed from the location immediately after removal of the drilling rig.

Any open pits will be fenced during the operations. The fencing will be maintained until such time as the pits are backfilled.

No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completing of wells within the NBU. Furthermore, extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will not be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completing of wells within the NBU. Specific APDs shall address any modifications from this policy.

8. Ancillary Facilities:

Coastal proposes to use the NBU #25 location as a camp to be used by drilling personnel. This camp was approved by Sundry Notice by the Vernal District BLM office on 3/18/97.

9. Well Site Layout:

A Location Layout Diagram describing drill pad cross-sections, cuts and fills, and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s) will be included with the site specific APD.

The diagram will describe rig orientation, parking areas, and access roads, as well as the location of the following:

- The reserve pit.
- The stockpiled topsoil (first six inches), which shall not be used for facility berms. All brush removed from the well pad during construction will be stockpiled with the topsoil.
- The flare pit, which will be located downwind from the prevailing wind direction.
- Access road.

All pits will be fenced according to the following minimum standards:

- 39 inch net wire will be used with at least one strand of barbed wire on top of the net wire. Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence.
- The net wire shall be no more than two inches above the ground. The barbed wire shall be three inches over the net wire. Total height of the fence shall be at least 42 inches.
- Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.
- Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any 2 fence posts shall be no greater than 16 feet.
- All wire shall be stretched using a stretching device before it is attached to corner posts.
- The reserve pit fencing will be on two sides during drilling operations, and on the third fourth sides when the rig moves off location. Pits will be fenced and maintained until cleanup.

10. Plans for Reclamation of the Surface:

Producing Location:

- Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, materials, trash, and debris not required for production.
- If a synthetic, nylon reinforced, liner is used, the excess liner will be cut off and removed and the remaining liner will be torn and perforated while backfilling the reserve pit. Alternatively, the pit will be pumped dry, the liner folded into the pit, and the pit backfilled.
- Before any dirt work associated with location restoration takes place, the reserve pit shall be as dry as possible. All debris in it will be removed. Other waste and spoil materials will be disposed of immediately upon completion of operations.
- The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The reserve pit will be reclaimed within 120 days from the date of well completion, weather permitting. This will be completed by backfilling and crowning the pit to prevent water from standing.

Dry Hole/Abandoned Location:

- On lands administered by the BLM, abandoned well sites, roads, and other disturbed areas will be restored as near as practical to their original condition. Where applicable, these

conditions may include the re-establishment of irrigation systems, the re-establishment of appropriate soil conditions, and the re-establishment of vegetation as specified.

All disturbed surfaces will be recontoured to the approximate natural contours, with reclamation of the well pad and access road to be performed as soon as practical after final abandonment. Resceding operations will be performed after completion of other reclamation operations.

The Authorized Officer of the appropriate surface management agency shall be contacted for the required seed mixture. Seed will be drilled on the contour to an appropriate depth.

11. Surface Ownership:

The ownership of the access roads will be specified on the site specific APD.

The ownership of well pad will be specified on the site specific APD.

12. Other Information:

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice to Lessees. The Operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.

The Operator will control noxious weeds along right-of-ways for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds may be obtained from the BLM or the appropriate County Extension Office. On BLM administered land, it is required that a Pesticide Use Proposal be submitted and approved prior to the application of herbicides or other pesticides or possibly hazardous chemicals.

Drilling rigs and/or equipment used during drilling operations on this location will not be stacked or stored on Federal Lands after the conclusion of drilling operations or at any other time without BLM authorization. If BLM authorization is obtained, such storage is only a temporary measure.

Unless previously conducted, a Class III archeological survey will be conducted on all Federal and/or Tribal lands. All personnel will refrain from collecting artifacts and from disturbing any significant cultural resources in the area. The Operator is responsible for informing all persons in the area who are associated with this project that they may be subject to prosecution for knowingly disturbing historic or archaeological sites or for collecting artifacts. All vehicular traffic, personnel movement, construction, and restoration activities shall be confined to the areas examined, as referenced in the archaeological report, and to the existing roadways and/or evaluated access routes. If historic or archaeological materials are uncovered during construction, the Operator is to immediately stop work that might further disturb such materials and contact the Authorized Officer and the Ute Tribe Energy and Mineral Department. Within five working days, the Authorized Officer will inform the Operator as to:

- whether the materials appear eligible for the National Historic Register of Historic Places;

- the mitigation measures the Operator will likely have to undertake before the site can be used (assuming in situ preservation is not necessary); and
- a time frame for the Authorized Officer to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the Authorized Officer are correct and that mitigation is appropriate.

If the Operator wishes, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the Authorized Officer will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise the Operator will be responsible for mitigation costs. The Authorized Officer will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the Authorized Officer that required mitigation has been completed, the Operator will then be allowed to resume construction.

On surface administered by the BIA, all Surface Use Conditions of Approval associated with the BIA Concurrence letter and Environmental Analysis Mitigation Stipulations will be adhered to, including:

- Any/all contractors used by Coastal Oil & Gas Corporation will have acquired a Tribal Business License and have access permits prior to construction.
- If the surface rights are owned by the Ute Indian Tribe and mineral rights are owned by another entity, an approved right-of-way will be obtained from the BIA before the Operator begins any construction activities. The BIA right-of-way application will be delivered under separate cover. If the surface is owned by another entity and the mineral rights are owned by the Ute Indian Tribe, a right-of-way will be obtained from the other entity.

Upon completion of the APD and right-of-way construction, the Ute Tribe Energy and Mineral Department will be notified so that a Tribal Technician can verify an Affidavit of Completion.

- Operator's employees, including subcontractors, will not gather firewood along roads constructed by the Operator. If wood cutting is required, a permit will be obtained from the Forestry Department of the BIA pursuant to 25 CFR 169.13 "Assessed Damages Incident to Right-of-Way Authorization." The Operator, subcontractors, vendors and their employees or agents may not disturb saleable timber (including firewood) without a duly granted wood permit from the BIA Forester.
- All roads constructed by the Operator on the Uinta and Ouray Indian Reservation will have appropriate signs. Signs will be neat and of sound construction. They will state: (a) that the land is owned by the Ute Indian Tribe, (b) the name of the Operator, (c) that firearms are prohibited to all non-Ute Tribal members, (d) that permits must be obtained from the BIA before cutting firewood or other timber products, and (e) only authorized personnel permitted.
- All well site locations on the Uinta and Ouray Indian Reservation will have an appropriate sign indicating the name of the Operator, the lease serial number, the well name and

number, the survey description of the well (either footages or the quarter/quarter section, the section, township, and range).

13. Lessee's or Operator's Representative and Certification:


Bonnie Carson
Senior Environmental Analyst
Coastal Oil & Gas Corporation
P.O. Box 749
Denver, CO 80201-0749
(303) 573-4476

Tom Young
Drilling Manager
Coastal Oil & Gas Corporation
9 Greenway Plaza, Suite 2770
Houston, TX 77046
(713) 877-7044

Certification: All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice to Lessees.



The Operator will be fully responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

Site specific certification will be submitted with the site specific APD.


Bonnie Carson

5/29/97
Date

3,000 PSI

BOP STACK

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

- Unused fracturing fluids or acids
- Gas plant cooling tower cleaning wastes
- Painting wastes
- Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spent solvents, spilled chemicals, and waste acids
- Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste
- Refinery wastes
- Liquid and solid wastes generated by crude oil and tank bottom reclaimers
- Used equipment lubrication oils
- Waste compressor oil, filters, and blowdown
- Used hydraulic fluids
- Waste solvents
- Waste in transportation pipeline-related pits
- Caustic or acid cleaners
- Boiler cleaning wastes
- Boiler refractory bricks
- Incinerator ash
- Laboratory wastes
- Sanitary wastes
- Pesticide wastes
- Radioactive tracer wastes
- Drums, insulation and miscellaneous solids

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT" - for such proposals

SUBMIT IN TRIPLICATE

RECEIVED

AUG 11 1997

1. Type of Well

☐

Oil Well

☐

Gas Well

☒

Other

Natural Buttes Field

2. Name of Operator

Coastal Oil & Gas Corporation

3. Address and Telephone No.

P. O. Box 749, Denver, CO 80201-0749

(303) 573-4476

4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)

Future wells in Natural Buttes Unit

5. Lease Designation and Serial No.

Various

6. If Indian, Alutian or Tribe Name

Ute Tribe

7. If Unit or CA, Agreement Designation

Natural Buttes Unit

8. Well Name and No.

To be determined

9. API Well No.

To be determined

10. Field and Pool, Or Exploratory Area

Natural Buttes

11. County or Parish, State

Uintah County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒

Notice of Intent

☐

Subsequent Report

☐

Final Abandonment Notice

TYPE OF ACTION

☐

Abandonment

☐

Recompletion

☐

Plugging Back

☐

Casing Repair

☐

Altering Casing

☒Other Standard Operating Procedure
Amendment☐

Change of Plans

☐

New Construction

☐

Non-Routine Fracturing

☐

Water Shut-Off

☐

Conversion to Injection

☐

Dispose Water

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.)

The Operator requests permission to amend the Standard Operating Procedure currently in use for newly drilled wells in the Natural Buttes Unit with the additions/changes described in the attachment.

14. I hereby certify that the foregoing is true and correct

Signed

Bonnie Carson

Title Senior Environmental Analyst

Date

08/07/97

(This space for Federal or State office use)

APPROVED BY

Conditions of approval, if any:

Title

ACTING

Assistant Field Manager
Mineral Resources

Date

AUG 19 1997

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See instruction on Reverse Side

OPERATOR

The following revisions/additions refer to the Surface Use portion of the Natural Buttes SOP. The revisions/additions are printed in bold.

4. **Location of Existing and Proposed Facilities:**

The following guidelines will apply if the well is productive.

- All facilities will be painted within six months of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) will be excluded. The required color is **Carlsbad Canyon, Munsell standard color number 2.5Y 6/2.**
- A description of the proposed pipeline and a map will be included with the site specific APD. **Pipelines will be constructed of 4" OD steel. Pipeline segments will be welded together on disturbed areas in or near the location (whenever possible), and dragged into place.**

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

303 573 4417 1998, 05-20 07154 #328 P.24/25
BLL, SAB, TW, W, R, L FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT" - for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐

Oil Well

☐

Gas Well

☒

Other

Natural Buttes Field

2. Name of Operator

Coastal Oil & Gas Corporation

3. Address and Telephone No.

P. O. Box 749, Denver, CO 80201-0749

(303) 573-4476

4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)

Future wells in Natural Buttes Unit

5. Lease Designation and Serial No.

Various

6. If Indian, Alutian or Tribe Name

Ute Tribe

7. If Unit or CA, Agreement Designation

Natural Buttes Unit

8. Well Name and No.

To be determined

9. API Well No.

To be determined

10. Field and Pool, Or Exploratory Area

Natural Buttes

11. County or Parish, State

Uintah County, Utah

RECEIVED

SEP 02 1997

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒

Notice of Intent

☐

Subsequent Report

☐

Final Abandonment Notice

TYPE OF ACTION

☐

Abandonment

☐

Recompletion

☐

Plugging Back

☐

Casing Repair

☐

Altering Casing

☒

Other Standard Operating Procedure Amendment

☐

Change of Plans

☐

New Construction

☐

Non-Routine Fracturing

☐

Water Shut-Off

☐

Conversion to Injection

☐

Dispose Water

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.)

The Operator requests permission to amend the Standard Operating Procedure currently in use for newly drilled wells in the Natural Buttes Unit with the additions/changes described in the attachment.

14. I hereby certify that the foregoing is true and correct

Signed

Bonnie Carson

Title Senior Environmental Analyst

Date

08/29/97

(This space for Federal or State official use)

APPROVED BY

Conditions of approval, if any:

Assistant Field Manager

Title Mineral Resources

Date

SEP 22 1997

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

OPERATOR

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires July 31, 1996

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.

U-0576

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA/Agreement, Name and/or No.
Natural Buttes Unit

8. Well Name and No.

NBU 307

9. API Well No.

43-047-33007

10. Field and Pool, or Exploratory Area

Natural Buttes Field

11. County or Parish, State

Uintah

Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- | | | | |
|---|---|--|--|
| <input type="checkbox"/> Acidize | <input type="checkbox"/> Deepen | <input type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Alter Casing | <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Reclamation | <input type="checkbox"/> Well Integrity |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> New Construction | <input type="checkbox"/> Recomplete | <input checked="" type="checkbox"/> Other <u>APD</u> |
| <input type="checkbox"/> Change Plans | <input type="checkbox"/> Plug and Abandon | <input type="checkbox"/> Temporarily Abandon | <u>Extension</u> |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Plug Back | <input type="checkbox"/> Water Disposal | |

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)


The APD for the subject well was approved 3/5/98 by the BLM and 5/12/98 by the State of Utah. Operator requests that the APD be extended for an additional year so that drilling operations may be completed.

Approved by the
Utah Division of
Oil, Gas and Mining

Date: 2/18/99

By: *Sheila Bremer*

COPY SENT TO OPERATOR
Date: 2-11-99
Initials: *CHP*



14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Sheila Bremer

Title

Environmental & Safety Analyst

Date 2/2/99

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
Budget Bureau No. 1004-0135
Expires July 31, 1996

5. Lease Serial No.

U-0576

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA/Agreement, Name and/or No
Natural Buttes Unit

8. Well Name and No.

NBU #307

9. API Well No.

43-047-33007

10. Field and Pool, or Exploratory Area
Natural Buttes Field

11. County or Parish, State

Uintah County Utah

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Coastal Oil & Gas Corporation

3a. Address

P.O. Box 1148, Vernal UT 84078

3b. PhoneNo. (include area code)

(435)-781-7023

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

NW/NE Sec.28,T9S,R21E 569' FNL & 1936' FEL

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Acidize

☐ Alter Casing

☐ Casing Repair

☐ Change Plans

☐ Convert to Injection

☐ Deepen

☐ Fracture Treat

☐ New Construction

☐ Plug and Abandon

☐ Plug Back

☐ Production (Start/Resume)

☐ Reclamation

☐ Recomplete

☐ Temporarily Abandon

☐ Water Disposal

☐ Water Shut-Off

☐ Well Integrity

☒ Other TD Change


13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximated duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

Coastal Oil & Gas Corporation proposes to change the TD 7000' to 8650' in order to drill to the Mesaverde formation. Please refer to the attached Drilling Program.

Ch. 6800/wst

COPY SENT TO OPERATOR
Date: 10-8-99
Initials: CAP

Federal Approval of this
Action is Necessary



Approved by the
Utah Division of
Oil, Gas and Mining

Date: 10/7/99
By: [Signature]

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Shelia Upchego

Title

Environmental Secretary

Date 9/20/99

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

Coastal Oil & Gas Corporation
Natural Buttes Unit #307
NW/NE Sec.28,T9S,R21E
Uintah County, Utah

GEOLOGICAL SURFACE FORMATION:

NW/NE Sec.28,T9S,R21E - 569'FNL & 1936'FEL

ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:

<u>Formation</u>	<u>Estimated Top</u>
KB	4937'
GREENRIVER	1550'
WASATCH	4910'
MESAVERDE	7850'
TD	8450'

PROPOSED CASING PROGRAM:

See Attached Drilling Program

DRILLING FLUIDS PROGRAM:

See Attached Drilling Program

TESTING LOGGING AND CORING:

See Attached Drilling Program

CEMENTING PROGRAM:

<u>Casing</u>	<u>Coverage</u>	<u>Volume</u>	<u>Type & Activities</u>
---------------	-----------------	---------------	------------------------------

See Attached Drilling Program

Intermediate

See Attached Drilling Program


Production

See Attached Drilling Program

COASTAL OIL & GAS CORPORATION

DRILLING PROGRAM

COMPANY NAME Coastal Oil & Gas Corporation DATE 9/15/99
 WELL NAME Generic Natural Buttes Well TD _____
 FIELD Ouray COUNTY Uintah STATE Utah ELEVATION _____
 SURFACE LOCATION _____ BHL Straight Hole
 OBJECTIVE ZONE(S) Lower Green River, Wasatch, Mesaverde
 ADDITIONAL INFO _____



CASING PROGRAM

CONDUCTOR
SURFACE
PRODUCTION
TUBING

	SIZE	INTERVAL	WT.	GR.	CPLG.	DESIGN FACTORS		
						BURST	COLLAPSE	TENSION
CONDUCTOR	14"	0-40'						
SURFACE	8-5/8"	0-250'	24#	K-55	STC	>10	>10	>10
PRODUCTION	5-1/2"	0-TD	17#	N-80	LTC	SPECIFIED BY PROD DEPT		
TUBING								

CEMENT PROGRAM

SURFACE

PRODUCTION

	FT. OF FILL	DESCRIPTION	SACKS	EXCESS	WEIGHT	YIELD
	250' MD/TVD	Neat + 2% CaCl ₂	95	25%	15.60	1.19
LEAD	500' Above Prod Int-Surf	Hifill + 0.6% EX-1 + 0.25 lb/sk Flocele + 0.2% FWCA + 10 lb/sk Gilsonite + 16% Gel + 1% HR-7 + 3% Salt	*TBD		11.60	3.12
TAIL	TD-500' Above Productive Int.	50/50 POZ + 0.25 lb/sk Flocele + 0.4% Halad-322 + 2% Gel + 0.1% HR-5 + 2% Microbond M +5% Salt	*TBD		14.4	1.24

* 15% over caliper log


FLOAT EQUIPMENT & CENTRALIZERS

SURFACE

PRODUCTION

Guide shoe, 1 jt, float collar. Centralize 5' above shoe & every other collar to surface.

Specified by Production Department (every other joint across pay zones).

WELLHEAD EQUIPMENT

TREE

2-1/16" 5M

TUBING HEAD

11" 3M X 7-1/16" 5M

CASING SPOOL

CASING SPOOL

CASING HEAD

8-5/8" SOW X 11" 3M

COASTAL OIL & GAS CORPORATION
DRILLING PROGRAM**BIT PROGRAM**

ROCK BIT & PDC BIT PROGRAM

INTERVAL	HOLE	BIT MFG & MODEL	GPM	SERIAL	NZLS	COMMENTS
Surface Hole	11"	Various				
SC - Top of Wasatch	7-7/8"	Various				
Wasatch	7-7/8"	Various (PDC)				
Mesaverde	7-7/8"	Various				

GEOLOGICAL DATA

LOGGING:

Depth	Log Type
SC - TD	DLL/Cal/SP/GR
SC - TD	Neutron/Density/GR
Optional	Sonic
Various	SWC's

MUD LOGGER:

SAMPLES:

CORING:

DST:

As per Geology

As per Geology

As per Geology

As per Geology

MUD PROGRAM

DEPTH	TYPE	MUD WT	WATER LOSS	VISCOSITY	TREATMENT
0-Trona	Air Mist	NA	NA		
Trona-TD	Aerated Water Water/Mud	NA 8.4-9.4	NC 15cc	NA 30-40	KCL, Gel, LCM, Polymer
At TD	Brine	10-12 ppg	NC	NC	

ADDITIONAL INFORMATION

Test casing head to 750 psi after installing. Test surface casing to 1,500 psi prior to drilling out.

BOPE: 11" 3M with one annular and 2 rams. Test to 3,000 psi (annular to 1,500 psi) prior to drilling out. Record on chart recorder & tour sheet. Function test rams on each trip. Maintain safety valve & inside BOP on rig floor at all times. Kelly to be equipped with upper & lower kelly valves.

Run Totco survey every 500' from surface casing shoe to TD. Maximum allowable hole angle is 5 degrees.

PROJECT ENGINEER:

Blaine Yeary

DATE:

PROJECT MANAGER:

Tom Young

DATE:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
Budget Bureau No. 1004-0135
Expires July 31, 1996

5. Lease Serial No.

U-0576

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA/Agreement, Name and/or No
Natural Buttes Unit

8. Well Name and No.

NBU #307

9. API Well No.

43-047-33007

10. Field and Pool, or Exploratory Area
Natural Buttes Field

11. County or Parish, State

Uintah County Utah

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Coastal Oil & Gas Corporation

3a. Address

P.O. Box 1148, Vernal UT 84078

3b. Phone No. (include area code)

(435)-781-7023

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

NWNE Sec.28,T9S,R21E 569'FNL & 1936'FEL

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice


TYPE OF ACTION

- | | | | |
|---|---|--|--|
| <input type="checkbox"/> Acidize | <input type="checkbox"/> Deepen | <input type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Alter Casing | <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Reclamation | <input type="checkbox"/> Well Integrity |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> New Construction | <input type="checkbox"/> Recomplete | <input checked="" type="checkbox"/> Other Spud |
| <input type="checkbox"/> Change Plans | <input type="checkbox"/> Plug and Abandon | <input type="checkbox"/> Temporarily Abandon | |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Plug Back | <input type="checkbox"/> Water Disposal | |

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximated duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

10/20/99 w/Bill Martin Drlg. (Air Rig). Drilled 260' of 12 1/4" hole. Ran 6jts 24# K-55 8 5/8" csg. Shoe total 255.35 cmt. Pumped 20 Bbls Gel Water ahead of 160sx P-AG w/2% CaCl2 + 1/4#/sx Flocele wt. 15.6 yield 1.18. Drop plug & Displaced w/13.6 Bbls water. Good returns +/- 10 Bbls to surface. Hole stayed full.

Spud on 10/20/99 @ 8:30am w/Bill Martin Drlg. (Air Rig).



14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Sheila Upchego

Title

Environmental Secretary

Date 11/10/99

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

ENTITY ACTION FORM - FORM 6

OPERATOR Coastal Oil & Gas Corporation

OPERATOR ACCT. NO. N 0230

ADDRESS P.O. Box 1148


Vernal UT 84078

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
B	999999	2900	43-047-32995	Cige #226	SESW	3	10S	21E	Uintah County	10/29/99	10/29/99
WELL 1 COMMENTS: Spud on 10/29/99 @ 11:30 am w/ Bill Martin Drlg (Air Rig). <i>991130 entity added (not Buttes w/ WSMVD) KDR</i>											
B	999999	2900	43-047-33011	NBU #278	SWSW	30	9S	22E	Uintah County	10/29/99	10/29/99
WELL 2 COMMENTS: Spud on 10/29/99 @ 2:00 pm w/ Malcoms Drlg (Bucket Rig). <i>991130 entity added; (not Buttes w/ WSMVD) KDR</i>											
B	999999	2900	43-047-32983	Cige #223	NWNW	1	10S	22E	Uintah County	10/2/99	10/2/99
WELL 3 COMMENTS: Spud on 10/2/99 @ 4:30 pm w/ Bill Martin Drlg (Air Rig). <i>991130 entity added; (not Buttes w/ WSMVD) KDR</i>											
B	999999	2900	43-047-33007	NBU #307	NWNE	28	9S	21E	Uintah County	10/20/99	10/20/99
WELL 4 COMMENTS: Spud on 10/20/99 @ 8:30 am w/ Bill Martin Drlg (Air Rig). <i>991130 entity added; (not Buttes w/ WSMVD) KDR</i>											
WELL 5 COMMENTS:											

ACTION CODES (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.



Sheila Upchego
Signature Sheila Upchego

Environmental Secretary 11/10/99

Title _____ Date _____

Phone No. 435 781-7024

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other Instructions on reverse side

1. Type of Well

☐ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Coastal Oil & Gas Corporation

3a. Address

P.O. Box 1148, Vernal UT 84078

3b. Phone No. (include area code)

(435)781-7023

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

NW/NE Sec.28,T9S,R21E
569'FNL & 1936'FEL

5. Lease Serial No.

U- 0576

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA/Agreement, Name and/or No.
Natural Buttes Unit

8. Well Name and No.

NBU

#307

9. API Well No.

43-047-33007

10. Field and Pool, or Exploratory Area
Natural Buttes Field

11. County or Parish, State

Uintah

UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
- ☒ Subsequent Report
- ☐ Final Abandonment Notice

TYPE OF ACTION

- | | | | |
|---|---|--|---|
| <input type="checkbox"/> Acidize | <input type="checkbox"/> Deepen | <input type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Alter Casing | <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Reclamation | <input type="checkbox"/> Well Integrity |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> New Construction | <input type="checkbox"/> Recomplete | <input checked="" type="checkbox"/> Other <u>Drilling</u> |
| <input type="checkbox"/> Change Plans | <input type="checkbox"/> Plug and Abandon | <input type="checkbox"/> Temporarily Abandon | <u>Summary</u> |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Plug Back | <input type="checkbox"/> Water Disposal | |

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

Finished drilling from 260' to 8500'. Ran 194 jts, 5 1/2" Csg. Cmt w/279 sks P-AG Lead Cmt, 11.5 ppg followed by 246 Bbls Tail Cmt, 11.5 ppg. Displace w/96.4 Bbls 2% KCL water. Bumped plug. Circ w/10 Bbls to surface.
Rig released @ 8:00 a.m. on 1/28/00.

RECEIVED

FEB 14 2000

DIVISION OF
OIL, GAS AND MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Katy Dow

Title

Environmental Jr. Analyst

Date

2/7/00

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. U- 0576
2. Name of Operator Coastal Oil & Gas Corporation		6. If Indian, Allottee or Tribe Name N/A
3a. Address P.O. Box 1148, Vernal UT 84078	3b. Phone No. (include area code) (435)781-7023	7. If Unit or CA/Agreement, Name and/or No. Natural Buttes Unit
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) NW/NE Sec.28,T9S,R21E 569'FNL & 1936'FEL		8. Well Name and No. NBU #307
		9. API Well No. 43-047-33007
		10. Field and Pool, or Exploratory Area Natural Buttes Field
		11. County or Parish, State Utah UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>Completion</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	<u>Report</u>
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

The subject well was placed on production on 2/12/00. Please refer to the attached Chronological Well History.

RECEIVED

MAR 13 2000

**DIVISION OF
OIL, GAS AND MINING**

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Katy Dow

Title

Environmental Jr. Analyst

Date

3/7/00

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States a false statement.

THE COASTAL CORPORATION
PRODUCTION REPORT

CHRONOLOGICAL HISTORY

NBU #307

NW/NE SEC 28, T9S, R21E
NATURAL BUTTES UNIT
UINTAH COUNTY, UTAH

WI: 100% AFE: 29045
PBTD: 8400' CSG: 5.5" 17# N-80 @ 8500'
PERFS: 5332'-8336'

Page 2

DRILL & COMPLETE
DRILLING 01/11-01/29/00

10/25/99 BUILD ROAD AND LOCATION

02/03/00 PU & RIH W/ 2 3/8" TBG. ROAD RIG F/ ALTAMONT TO NBU #307. MIRU KES #60
PU. ND WH & NU BOPS. SWIFN. (DAY 1) TC: \$2,270

02/04/00 RU CUTTERS & RUN CBL-CCL-GR. PU 4 3/4 MILL & B.S. TALLEY TBG & PU RIH W/
2 3/8" TBG. TAG PBTD @ 8400'. RU PUMP & LINES. CIRC HOLE W/ 190 BBL
FILTERED 2% KCL. POOH W/ 2 3/8" TBG & LD MILL B.S. DRAIN PUMP & LINES.
SWIFN. (DAY 2) TC: \$471,662

2/05/00 BRK DN MESA VERDA PERFS. MIRU CUTTERS WLS. RIH W/ FR-CCL-CBL TOOLS.
TAG WL PBTD @ 8441'. HOLD 1000 PSI ON CSG & LOG F/ 8441' TO 4600'. PULL UP
HOLE & LOG F/ 500' TO SURF. CMT TOP @ 265'. RD LOGGING TOOLS. TEST 5 1/2"
X 17# X N-80 CSG. 5000#, 15 MIN, OK. TEST 5 1/2" X 8 5/8" ANNULAR 1000#-0# IN 2
MIN. NO TEST. PERF MESA VERDA 8336'-8002', 90 HLS, W/ 4" PORTED GUNS, 23
GRAM, 0.54" EHD, 90 DEG PHASING. RUN #1: 8330-8336', 1 SPF, 6 HLS, FL @ SURF, 0#
8304-8310', 1 SPF, 6 HLS. RUN #2: 8168-8172', 1 SPF, 4 HLS, FL @ SURF, 0#. 8152-8156', 1 SPF,
4 HLS, 8036-8042', 1 SPF, 6 HLS. RUN #3: 8002-8018', 4 SPF, 64 HLS, FL @ SURF, 0#.
RDMO CUTTERS WLS. TOTAL HLS = 90. RIH W/ N-C, 1 JT 2 3/8" N-80 TBG, +45 SN,
& 258 JTS TBG. EOT @ 8335'. SWI, SDFD. (DAY 3) TC: \$483,400

02/06/00 SAND FRAC @ 6AM 02/07/00 W/ HALLIBURTON. BRK DN MESAVERDA PERFS,
8002'-8336', 90 HOLES. MIRU HALLIBURTON. EOT @ 8334', HOLD SAFETY MTG. PMP
3 BBL 15% HCL TO EOT & REV OUT W/ 42 BBL 2% KCL. PMP 1000 GAL 15% HCL,
BALANCE ACROSS PERFS W/ 28 BBL 2% . POOH W/ 36 JTS 2 3/8" N-80 TBG, EOT @
7185'. BRK DN PERFS, 4048 PSI @ 4.8 BPM. PMP 20 BBL 2% KCL W/ 80, 1.3 SGBS, 4028 PSI
@ 4.8 BPM. PMP 1000 GAL 15% HCL W/ 36, 1.3 SGBS, 4146 PSI @ 4.6 BPM. FLUSH 10 BBL
PAST BP @ 8336' W/ 64 BBL 2% KCL. ISIP = 2603 PSI, FRAC GRAD = .81, SURGE BALLS
OFF PERFS. MAX = 4417 PSI @ 4.8 BPM, AVG = 4140 PSI @ 4.7 BPM FAIR DIVERSION,
TOTAL LOAD = 123 BBL, RDMO HES. POOH W/ 223 JTS 2 3/8" N-80 TBG. SWI, SHUT
DN TILL MONDAY MORNING 02/07/00. (DAY 4) TC: \$494,236

02/07/00 F/ FRACING W/ HES & PERF W/ CUTTERS. MI & RU HES HELD SAFTEY MEETING
PRESS TEST LINES 7500 PSI. SICP-1600 PSI FRAC MESVERDE PERF (8002-8336) PUMP
98000# 20/40 SD WEDGE 20# DELTA FLUID GEL. ISIP-2800 PSI MP-4017 PSI MR-46.8
BPMAP-2900 PSI AR-46.0 BPM TOTAL LOAD=1036 BBL FG.78. R.I.H W/51/2 BP SET @
7940' R.I.H W/4" GUN PERF @ 7878'-84' 3 SPF & 7756'-64' 3 SPF FRAC WASATCH PERF
(7756'-7884') BRK W/3605 PSI @ 15.2 BPM PUMP 79000# 20/40 SD WEDGE. 20# DELTA
FLUID GEL. ISIP-3000 PSI MP-4015 PSI MR-46.7 BPM AP-3100 PSI AR-46.0 BPM TOTAL
LOAD 855 BBL FG.82. R.I.H. W/51/2 BP SET @ 7650' R.I.H. W/4" GUN PERF @ 7516'-20'4
SPF & 7422'-30 4 SPF. FRAC WASATCH PERF (7422'-7520') BRK W/4857 PSI @ 14.5
BMPUMP 40000# 20/40 SD WEDGE 25# DELTA FLUID GEL ISIP-2720PSI MP-3240 PSI
MR-27.4 BPM AP-2750 PSI AR-25.0 BPM TOTAL LOAD=526 BBL FG.80 R.I.H. W/51/2 BP
SET @ 7310' R.I.H W/4" GUN PERF @ 7230'-40' 4 SPF FRAC WASATCH PERF (7230'-40')
BRK W/4040 PSI @ 14.5 BPM PUMP 49000# 20/40 SD WEDGE 25# DELTA FLUID GEL.
ISIP-2680PSI MP-3358 PSI MR-25.9 BPM AP-2800 PSI AR-25.0 BPM TOTAL LOAD=582 BBL
FG.80 R.I.H. W/51/2 BP SET @ 6900' R.I.H. W4" GUN PERF @ 6746'-50' 4 SPF FRAC
WASATCH PERF (6746'-50') BRK W/2370 PSI @ 4.3 BPM PUMP 30000# 20/40 SD WEDGE
25# DELTA FLUID GEL ISIP-2070 PSI MP-2475 PSI MR-21.0 BPM AP-2000 PSI AR-20.0 BPM
TOTAL LOAD=428 BBL FG.74. R.I.H W/51/2 BP SET @ 6600' R.I.H W4" GUN PERF @
6386'-94' 4 SPF & 6329'-31 4 SPF BRK DN PERF (6329'-94') W/2317 PSI @ 4.0 BPM DRAIN UP
FRAC EQUIP. DRAIN UP W.H. SWIFN & F/FRAC @ 7.00 AM MORNING. (DAY 5) TC: \$542,438

02/09/00

DRILL BP #5 @ 6900' & CIRC. SICP-1050 PSI RU HES & HELD SAFTEY MEETING. PRESS TEST LINES 7550 PSI FRAC WAS PERF (6329'-6394') PUMP 40000# 20/40 SD WEDGE 25# DELTA FLUID GEL. ISIP-1964 PSI MP-2224 PSI MR-25.9 BPM AP-2130 PSI AR-25.0 BPM TOTAL LOAD=488 BBL FG.74 R.I.H. W/51/2 BP SET @ 6200' R.I.H. W/4" GUN PERF @ 5850'-56' & 50'-56' 4 SPF & 5816'-24' 4 SPF FRAC WAS PERF (5816'-5856') BRK W/2189 PSI @ 4.3 BPM PUMP 45000# 20/40 SD WEDGE. 25# DELTA FLUID GEL ISIP-1520 PSI MP-1733 PSI MR-25.4 BPM AP-1600 PSI AR-25.0 BPM TOTAL LOAD=498 BBL FG.69 R.I.H. W/51/2 BP & SET @ 5500' R.I.H. W/4" GUN PERF @ 5332'-42' 4 SPF. FRAC WAS PERF (5332'-5342') BRK W/2517 PSI @ 8.9 BPM PUMP 55200# 20/40 SD WEDGE. 25# DELTA FLUID GEL. ISIP-2100 PSI MP-2462 PSI MR-25.6 BPM AP-2300 PSI AR-23.5 BPM TOTAL LOAD=510 BBL FG.83 R.I.H. W/51/2 BP & SET @ 5200' P.O.O.H. & RD CUTTERS. RD STINGER & HES. MOVE OUT ALL FRAC EQUIP. PU 43/4 BIT & PUMP OFF SUB. R.I.H. W/23/8 TBG. TAG SD @ 5160' RU SWIVEL & AIR FOAM UNIT. B/CIR W/AIR FOAM. CO SD & DRILL BP @ 5200' CIRC & R.I.H. W/23/8 TBG. TAG SD @ 5450' CO SD & DRILL BP @ 5550' CIRC & R.I.H. W/TBG. TAG SD @ 6158' CO & DRILL BP @ 6200' CHG OUT POWER SWIVELSEAL OUT IN MOTOR. CIRC & R.I.H. W/TBG TAG SD @ 6570' CO SD & DRILL BP @ 6600' CIRC & R.I.H. W/TBG. TAG SD @ 6880' DRILL BP @ 6900'.

(DAY 6) TC: \$787,009

02/10/00

WAIT ON ORDERS. CHANGE OUT CREW. TAG AND DRILL OUT PLUG @ 7310'. CIRC & TIH, TAG SAND @ 7639'. CLEAN OUT OT PLUG @ 7650'. PUMP 20 BBLS 2% KCL DWN TBG. DRILL OUT PLUG @ 7650'. FOAM UNIT PRESS TO 2100 PSI. POOH W/ 11 JTS TBG TO FLOAT. FLOAT WASHED OUT. CHANGE FLOAT. TIH W/ TBG FINISH DRILLING PLUG @ 7650'. RIH TAG SAND @ 7914'. WASH TO PLUG @ 7940'. DRILL OUT PLUG. CIRC CLEAN. TIH TO SAND @ 8385'. WASH OUT TO PBTD 8413'. KILL TBG. POOH TO FLOAT. REMOVE. RIH. INSTALL HANGER. LAND TBG@7903'. SN @ 7869'. INSTALL WH. DROP BALL. TRY TO PUMP OFF BIT. PRESSURE TO 2100 PSI W/ AIR FOAM UNIT. HOOK UP PUMP. COULD NOT GET BIT TO PUMP OFF. HOOK UP FLOWLINE. FLOW BALL BACK TO SURF W/ LARGE CHUNKS OF RUBBER. HOOK UP AIR FOAM UNIT TO CSG AND KICK WELL OFF. FLOWING. SICP-1200 PSI. TURN WELL OVER TO FLOWBACK CREW.

(DAY 7) TC: \$797,327

02/12/00

PROG: FLWD 871 MCF, 181 BW, FTP: 920#, CP: 1420#, 20/64" CK, 16 HRS, LP: 275, LLTR: 2511 BBLS.

02/13/00

PROG: FLWD 1460 MCF, 170 BW, FTP: 550#, CP: 1020#, 25/64" CK, 24 HRS, LP: 280#, LLTR: 2341 BBLS.

02/14/00

PROG: FLWD 1357 MCF, 160 BW, FTP: 460#, CP: 900#, 30/64" CK, 24 HRS, LP: 280#, LLTR: 2181 BBLS.
IP DATE: 02/12/00. IP: FLWG 1460 MCF, 170 BW, FTP: 550#, CP: 1020#, 25/64" CK, 24 HRS, LP: 280#.

FINAL REPORT.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: November 30, 2000

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Dry <input type="checkbox"/> Other						5. Lease Serial No. U-0576			
b. Type of Completion: <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Work Over <input type="checkbox"/> Deepen <input type="checkbox"/> Plug Back <input type="checkbox"/> Diff. Resvr., Other _____						6. If Indian, Allottee or Tribe Name N/A			
2. Name of Operator Coastal Oil & Gas Corporation						7. Unit or CA Agreement Name and No. Natural Buttes Unit			
3. Address P.O. Box 1148, Vernal, UT 84078				3a. Phone No. (include area code) (435) 781-7021		8. Lease Name and Well No. NBU #307			
4. Location of Well (Report location clearly and in accordance with Federal requirements)* At surface NW NE 569' FNL 1936' FEL						9. API Well No. 43-047-33007			
At top prod. interval reported below NW NE 569' FNL 1936' FEL						10. Field and Pool, or Exploratory Natural Buttes Field			
At total depth NW NE 569' FNL 1936' FEL						11. Sec., T., R., M., or Block and Survey of Area Section 28-T9S-R21E			
14. Date Spudded 10/20/99		15. Date T.D. Reached 1/26/00		16. Date Completed <input type="checkbox"/> D & A <input checked="" type="checkbox"/> Ready to Prod. 2/10/00		12. County or Parish Uintah		13. State Utah	
18. Total Depth: MD TVD 8500'		19. Plug Back T.D.: MD TVD 8400'		20. Depth Bridge Plug Set: MD TVD		17. Elevations (DF, RKB, RT, GL)* 4923.9' Ungraded GR			
21. Type Electric & Other Mechanical Logs Run (Submit copy of each) CBL, CCL, GR						22. Was well cored? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis) Was DST run <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit report) Directional Survey? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit)			
23. Casing and Liner Record (Report all strings set in well)									
Hole Size	Size/Grade	Wt. (#ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sks. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12-1/4"	8-5/8" K55	24	0	255'		160 P-AG	0	to surface	
7-7/8"	5-1/2" N80	17	0	8500'		495 Hi Lift	525	to surface	lost returns
						1025 POZ			
24. Tubing Record									
Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	
2-3/8"	7900'								
25. Producing Intervals					26. Perforation Record				
Formation		Top	Bottom	Perforated Interval		Size	No. Holes	Perf. Status	
A) Mesaverde		7878'	8336'	Refer to Page #3					
B)				attachment					
C) Wasatch		5332'	7764'						
D)									
27. Acid, Fracture, Treatment, Cement Squeeze, Etc.									
Depth Interval		Amount and Type of Material							
Refer to Page #3 attachment		MAR 20 2000 DIVISION OF OIL, GAS AND MINING							
28. Production - Interval A									
Date First Produced 2/10/00	Test Date 2/12/00	Hours Tested 24	Test Production →	Oil BBL 0	Gas MCF 1460	Water BBL 170	Oil Gravity	Gas Gravity	Production Method flowing
Choke Size 25/64	Tbg. Press. Flwg. 550	Csg. Press. 1020	24 Hr. →	Oil BBL 0	Gas MCF 1460	Water BBL 170	Gas: Oil Ratio	Well Status	producing
28a. Production-Interval B									
Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. →	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. →	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	

28c. Production-Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. →	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

sold, used for fuel

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
Green River	1635'	4926'			
Wasatch	4926'	7860'			
Green River	7860'				

RECEIVED

MAR 20 2000

DIVISION OF
OIL, GAS AND MINING

32. Additional remarks (include plugging procedure):

33. Circle enclosed attachments:

1. Electrical/Mechanical Logs (1 full set req'd) 2. Geologic Report 3. DST Report 4. Directional Survey
 5. Sundry Notice for plugging and cement verification 6. Core Analysis 7. Other Wellbore Diagram
 Page #3 Attachment, #26 & #27

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) Deanna BellTitle Environmental SecretarySignature Deanna BellDate 3/14/00

WELL COMPLETION OR RECOMPLETION REPORT AND LOG -

Lease Serial No. U-0576

NBU #307

26. Perforated Interval	Size	No. Holes
Mesaverde		
8330-36'	6	6
8304-10'	6	6
8168-72'	4	4
8152-56'	4	4
8036-42'	6	6
8002-18'	16	64
7878-84'	6	18
Wasatch		
7756-64'	8	24
7516-20'	4	16
7422-30'	8	32
7230-40'	10	40
6746-50'	4	16
6386-94'	8	32
6329-31'	3	12
5850-56'	6	24
5816-24'	8	32
5332-42'	10	40

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
8002-8336'	98000# 20/40 sand, 1036 bbls #20 Delta
7756-7884'	79000# 20/40 sand, 855 bbls #20 Delta
7422-7520'	40000# 20/40 sand, 526 bbls #25 Delta
7230-7240'	49000# 20/40 sand, 582 bbls #25 Delta
6746-6750'	30000# 20/40 sand, 428 bbls #25 Delta
6329-6394'	40000# 20/40 sand, 488 bbls #25 Delta
5816-5856'	45000# 20/40 sand, 498 bbls #25 Delta
5332-5342'	55200# 20/40 sand, 510 bbls #25 Delta

RECEIVED

MAR 20 2000

DIVISION OF
OIL, GAS AND MINING



March 17, 2000

Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, Utah 84078

ATTENTION: Ed Forsman /Wayne Bankert / Greg Darlington

Gentlemen:

Enclosed are the original and two copies of the Sundry Notices and Reports, Well Completion or Recompletion Reports, etc. for the week ending January 17,2000.

If you have any questions or need additional information, please do not hesitate to call me,(435) 781-7023.

Sincerely,

Katy Dow
Environmental Secretary

RECEIVED

MAR 20 2000

DIVISION OF
OIL, GAS AND MINING

Coastal Oil & Gas Corporation

A SUBSIDIARY OF THE COASTAL CORPORATION

1700 S. 1700 E. • BOX 1149 • VERNAL, UT 84078 • TEL 781-7023 • FAX 435-781-1412

cc w/encl: Mr. Ferron Secakuku
Ute Tribe
Energy & Minerals Resource Department
PO Box 70
Ft. Duchesne, UT 84026

Mr. Charles Cameron
Bureau of Indian Affairs
Uintah & Ouray Agency
Office of Minerals & Mining
PO Box 130
FT. Duchesne, UT 84026

Ms. Lisha Cordova
State of Utah
Division of Oil Gas & Mining
1594 West North Temple, Suite 1210
Salt Lake City, UT 84114

RECEIVED
FEB 13 1983
DIVISION OF
OIL, GAS AND MINING

DATE: 02/11/00

WELL: NBU307

COUNTY: UINTAH

SEC: 28


FOREMAN: D. NICHOLS

FIELD: NBU

STATE: UTAH

TWS: 9

RGE: 21



CASING RECORD

SIZE	WT	GRADE	THD	FROM	TO
5.5	17	N-80	LT&C	SUR	8500

TUBING RECORD

SIZE	WT	GRADE	THD	FROM	TO
2.375	4.7	J-55	8RD	SUR	7900

JTS	PSN	TAC	MUD ANCHOR
245	7868		Size Length

SUCKER ROD RECORD

NO	SIZE	GRADE	CPLG

ROD ROTATORYesNo

GAS ACHORSizeLength

ROD GUIDE PLACEMENT (DESCRIBE):

RECEIVED

PUMP DATA:

MANUF	SIZE	DESCR
SPM		SL

MAR 20 2000

DIVISION OF
OIL, GAS AND MINING

COMMENTS/PERFORATIONS:

MESAVERDE PERF F/8330'-36' 1 SPF, 8304'-10' 1 SPF, 8168'-72' 1 SPF, 8152'-56' 1 SPF, 8036'-42' 1 SPF, 8002'-18' 4 SPF, 7878'-84' 3 SPF
WASATCH PERF F/7800'-08' 3 SPF, 7756'-64' 3 SPF, 7516'-20' 4 SPF, 7422'-30' 4 SPF, 7230'-40' 4 SPF, 6746'-50' 4 SPF, 6386'-94' 4 SPF, 6329'-31' 4 SPF, 5850'-56' 4 SPF, 5816'-24' 4 SPF, 5332'-42' 4 SPF
FRAC W/20/40 SD WEDGE & 20# & 25# DELTA FLUID GEL
DRILL ALL PLUG OUT & LAND TBG. CUT TBG OFF B.S. & BIT

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CORRECTION

FORM APPROVED
OMB NO. 1004-0137
Expires: November 30, 2000

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Dry <input type="checkbox"/> Other						5. Lease Serial No. U-0576					
b. Type of Completion: <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Work Over <input type="checkbox"/> Deepen <input type="checkbox"/> Plug Back <input type="checkbox"/> Diff. Resvr., Other						6. If Indian, Allottee or Tribe Name N/A					
2. Name of Operator Coastal Oil & Gas Corporation						7. Unit or CA Agreement Name and No. Natural Buttes Unit					
3. Address P.O. Box 1148, Vernal, UT 84078				3a. Phone No. (include area code) (435) 781-7021		8. Lease Name and Well No. NBU #307					
4. Location of Well (Report location clearly and in accordance with Federal requirements)* At surface NW NE 569' FNL 1936' FEL At top prod. interval reported below NW NE 569' FNL 1936' FEL At total depth NW NE 569' FNL 1936' FEL						9. API Well No. 43-047-33007					
14. Date Spudded 10/20/99						15. Date T.D. Reached 1/26/00		16. Date Completed <input type="checkbox"/> D & A <input checked="" type="checkbox"/> Ready to Prod. 2/10/00		10. Field and Pool, or Exploratory Natural Buttes Field	
18. Total Depth: MD TVD 8500'						19. Plug Back T.D.: MD TVD 8413'		20. Depth Bridge Plug Set: MD TVD		11. Sec., T., R., M., or Block and Survey of Area Section 28-T9S-R21E	
21. Type Electric & Other Mechanical Logs Run (Submit copy of each) CBL, CCL, GR						22. Was well cored? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis) Was DST run <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit report) Directional Survey? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit)					
23. Casing and Liner Record (Report all strings set in well)											
Hole Size	Size/Grade	Wt. (#ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sks. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled		
12-1/4"	8-5/8" K55	24	0	255'		?? P-AG	0	to surface			
7-7/8"	5-1/2" N80	17	0	8500'		495 Hi Lift 1025 POZ	525	to surface	lost returns		
24. Tubing Record											
Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)			
2-3/8"	7900'										
25. Producing Intervals						26. Perforation Record					
Formation		Top	Bottom	Perforated Interval		Size	No. Holes	Perf. Status			
A) Mesaverde		7878'	8336'	Refer to Page #3							
B)				attachment							
C) Wasatch		5332'	7764'								
D)											
27. Acid, Fracture, Treatment, Cement Squeeze, Etc.											
Depth Interval		Amount and Type of Material									
Refer to Page #3											
attachment											
28. Production - Interval A											
Date First Produced 2/10/00	Test Date 2/12/00	Hours Tested 24	Test Production →	Oil BBL 0	Gas MCF 1460	Water BBL 170	Oil Gravity	Gas Gravity	Production Method flowing		
Choke Size 25/64	Tbg. Press. Flwg. 550	Csg. Press. 1020	24 Hr. →	Oil BBL 0	Gas MCF 1460	Water BBL 170	Gas: Oil Ratio	Well Status	producing		
28a. Production-Interval B											
Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity	Gas Gravity	Production Method		
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. →	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status			

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr.	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	

28c. Production-Interval D

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr.	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

sold, used for fuel

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top Meas. Depth
Green River	1635'	4926'			
Wasatch	4926'	7860'			
Mesaverde	7860'				

RECEIVED

32. Additional remarks (include plugging procedure):

APR 03 2000

DIVISION OF
OIL, GAS AND MINING


33. Circle enclosed attachments:

1. Electrical/Mechanical Logs (1 full set req'd) 2. Geologic Report 3. DST Report 4. Directional Survey
 5. Sundry Notice for plugging and cement verification 6. Core Analysis 7. Other Wellbore Diagram
 Page #3 Attachment, #26 & #27

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) Deanna BellTitle Environmental SecretarySignature Deanna BellDate 3/14/00

DATE: 02/11/00 WELL: NBU307 COUNTY: UINTAH SEC: 28
FOREMAN: D. NICHOLS FIELD: NBU STATE: UTAH TWS: 9
RGE: 21



RIG No. KES # 60

CASING RECORD					
SIZE	WT	GRADE	THD	FROM	TO
5.5	17	N-80	LT&C	SUR	8500

TUBING RECORD					
SIZE	WT	GRADE	THD	FROM	TO
2.375	4.7	J-55	8RD	SUR	7900

JTS	PSN	TAC	MUD ANCHOR	
245	7868		Size	
			Length	

SUCKER ROD RECORD			
NO	SIZE	GRADE	CPLG

ROD ROTATOR Yes ☐ No ☐

GAS ACHOR Size Length

ROD GUIDE PLACEMENT (DESCRIBE):

PUMP DATA:		
MANUFER	SIZE	DESCR
SPM		SL <input type="text"/>

COMMENTS/PERFORATIONS:
 MESAVERDE PERF F/8330'-36' 1 SPF, 8304'-10' 1 SPF, 8168'-72' 1 SPF, 8152'-56' 1 SPF, 8036'-42' 1 SPF, 8002'-18' 4 SPF, 7878'-84' 3 SPF
 WASATCH PERF F/7800'-08' 3 SPF, 7756'-64' 3 SPF, 7516'-20' 4 SPF, 7422'-30' 4 SPF, 7230'-40' 4 SPF, 6746'-50' 4 SPF, 6386'-94' 4 SPF, 6329'-31' 4 SPF, 5850'-56' 4 SPF, 5816'-24' 4 SPF, 5332'-42' 4 SPF
 FRAC W/20/40 SD WEDGE & 20# & 25# DELTA FLUID GEL
 DRILL ALL PLUG OUT & LAND TBG. CUT TBG OFF B.S. & BIT

RECEIVED
 APR 03 2000
 DIVISION OF
 OIL, GAS AND MINING

WELL COMPLETION OR RECOMPLETION REPORT AND LOG -

Lease Serial No. U-0576

NBU #307

26. Perforated Interval Size No. Holes

Mesaverde

8330-36'	6	6
8304-10'	6	6
8168-72'	4	4
8152-56'	4	4
8036-42'	6	6
8002-18'	16	64
7878-84'	6	18

Wasatch

7756-64'	8	24
7516-20'	4	16
7422-30'	8	32
7230-40'	10	40
6746-50'	4	16
6386-94'	8	32
6329-31'	3	12
5850-56'	6	24
5816-24'	8	32
5332-42'	10	40

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval

Amount and Type of Material

8002-8336'	98000# 20/40 sand, 1036 bbls #20 Delta
7756-7884'	79000# 20/40 sand, 855 bbls #20 Delta
7422-7520'	40000# 20/40 sand, 526 bbls #25 Delta
7230-7240'	49000# 20/40 sand, 582 bbls #25 Delta
6746-6750'	30000# 20/40 sand, 428 bbls #25 Delta
6329-6394'	40000# 20/40 sand, 488 bbls #25 Delta
5816-5856'	45000# 20/40 sand, 498 bbls #25 Delta
5332-5342'	55200# 20/40 sand, 510 bbls #25 Delta

RECEIVED

APR 03 2000

DIVISION OF
OIL, GAS AND MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drift horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER _____

2. NAME OF OPERATOR:
El Paso Production Oil & Gas Company

3. ADDRESS OF OPERATOR: 8 South 1200 East CITY Vernal STATE Utah ZIP 84078 PHONE NUMBER: 435-789-4433

4. LOCATION OF WELL

FOOTAGES AT SURFACE:

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

5. LEASE DESIGNATION AND SERIAL NUMBER:

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

8. WELL NAME and NUMBER:

Exhibit "A"

9. API NUMBER:

10. FIELD AND POOL, OR WILDCAT:

COUNTY:

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

☐ NOTICE OF INTENT
(Submit in Duplicate)

Approximate date work will start:

☐ SUBSEQUENT REPORT
(Submit Original Form Only)

Date of work completion:

☐ ACIDIZE

☐ ALTER CASING

☐ CASING REPAIR

☐ CHANGE TO PREVIOUS PLANS

☐ CHANGE TUBING

☐ CHANGE WELL NAME

☐ CHANGE WELL STATUS

☐ COMMINGLE PRODUCING FORMATIONS

☐ CONVERT WELL TYPE

☐ DEEPEN

☐ FRACTURE TREAT

☐ NEW CONSTRUCTION

☐ OPERATOR CHANGE

☐ PLUG AND ABANDON

☐ PLUG BACK

☐ PRODUCTION (START/RESUME)

☐ RECLAMATION OF WELL SITE

☐ RECOMPLETE - DIFFERENT FORMATION

☐ REPERFORATE CURRENT FORMATION

☐ SIDETRACK TO REPAIR WELL

☐ TEMPORARILY ABANDON

☐ TUBING REPAIR

☐ VENT OR FLARE

☐ WATER DISPOSAL

☐ WATER SHUT-OFF

☒ OTHER: Name Change

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As a result of the merger between The Coastal Corporation and a wholly owned subsidiary of El Paso Energy Corporation, the name of Coastal Oil & Gas Corporation has been changed to El Paso Production Oil & Gas Company effective March 9, 2001.

See Exhibit "A"

Bond # 400JU0708

Coastal Oil & Gas Corporation

NAME (PLEASE PRINT) John T. Elzner

TITLE Vice President

SIGNATURE [Signature]

DATE 06-15-01

El Paso Production Oil & Gas Company

NAME (PLEASE PRINT) John T. Elzner

TITLE Vice President

SIGNATURE [Signature]

DATE 06-15-01

(This space for State use only)

RECEIVED

JUN 19 2001

DIVISION OF
OIL, GAS AND MINING

State of Delaware
Office of the Secretary of State

PAGE 1

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "COASTAL OIL & GAS CORPORATION", CHANGING ITS NAME FROM "COASTAL OIL & GAS CORPORATION" TO "EL PASO PRODUCTION OIL & GAS COMPANY", FILED IN THIS OFFICE ON THE NINTH DAY OF MARCH, A.D. 2001, AT 11 O'CLOCK A.M.

RECEIVED

JUN 11 2001

DIVISION OF
OIL, GAS AND MINING



Harriet Smith Windsor
Harriet Smith Windsor, Secretary of State

0610204 8100

AUTHENTICATION: 1061007

010162788

DATE: 04-03-01

CERTIFICATE OF AMENDMENT

OF

CERTIFICATE OF INCORPORATION

COASTAL OIL & GAS CORPORATION (the "Company"), a corporation organized and existing under and by virtue of the General Corporation Law of the State of Delaware, DOES HEREBY CERTIFY:

FIRST: That the Board of Directors of the Company, by the unanimous written consent of its members, filed with the minutes of the Board, adopted a resolution proposing and declaring advisable the following amendment to the Certificate of Incorporation of the Company:

RESOLVED that it is deemed advisable that the Certificate of Incorporation of this Company be amended, and that said Certificate of Incorporation be so amended, by changing the Article thereof numbered "FIRST." so that, as amended, said Article shall be and read as follows:

"FIRST. The name of the corporation is El Paso Production Oil & Gas Company."

SECOND: That in lieu of a meeting and vote of stockholders, the stockholders entitled to vote have given unanimous written consent to said amendment in accordance with the provisions of Section 228 of the General Corporation Law of the State of Delaware.

THIRD: That the aforesaid amendment was duly adopted in accordance with the applicable provisions of Sections 242 and 228 of the General Corporation Law of the State of Delaware.

IN WITNESS WHEREOF, said COASTAL OIL & GAS CORPORATION has caused this certificate to be signed on its behalf by a Vice President and attested by an Assistant Secretary, this 9th day of March 2001.

COASTAL OIL & GAS CORPORATION



David L. Siddall
Vice President

Attest:


Margaret E. Roark, Assistant Secretary

RECEIVED

STATE OF DELAWARE
SECRETARY OF STATE
DIVISION OF CORPORATIONS
FILED 11:00 AM 03/09/2001
010118394 - 0610204

JUN 19 2001

DIVISION OF
OIL, GAS AND MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

RECEIVED

JUL 12 2001

DIVISION OF
OIL, GAS AND MINING

In Reply Refer To:

3106

UTSL-065841

(UT-924)

JUL 10 2001

NOTICE

El Paso Production Oil & Gas Company	:	Oil and Gas
Nine Greenway Plaza	:	
Houston TX 77046-0095	:	

Name Change Recognized


Acceptable evidence has been received in this office concerning the name change of Coastal Oil & Gas Corporation into El Paso Production Oil & Gas Company with El Paso Production Oil & Gas Company being the surviving entity.

For our purposes, the name change is recognized effective March 9, 2001.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Coastal Oil & Gas Corporation to El Paso Production Oil & Gas Company. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Wyoming and Colorado.



Opolonia L. Abeyta
Acting Chief, Branch of
Minerals Adjudication

Enclosure

1. Exhibit of Leases (1 pp)

cc: Moab Field Office
Vernal Field Office
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217
~~State of Utah~~ DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)

Exhibit of Leases

UTUSL-065841A	UTU-47172	UTU-74415	UTU-53860
UTU-28652	UTU-50687	UTU-74416	UTU-66401
UTU-37943	UTU-52298	UTU-75091	UTU-67868
UTU-44089	UTU-0109054	UTU-75096	UTU-65389
UTU-44090A	UTU-0143511	UTU-75097	UTU-77084
UTU-61263	UTU-0143512	UTU-75673	UTU-61430
UTU-00343	UTU-38401	UTU-76259	UTU-72633
UTU-02651	UTU-38411	UTU-76260	UTU-72650
UTU-02651B	UTU-38418	UTU-76261	UTU-49692
UTU-0142175	UTU-38419	UTU-76493	UTU-57894
UTU-70235	UTU-38420	UTU-76495	UTU-76829
UTU-70406	UTU-38421	UTU-76503	UTU-76830
UTU-74954	UTU-38423	UTU-78228	UTU-76831
UTU-75132	UTU-38424	UTU-78714	
UTU-75699	UTU-38425	UTU-78727	
UTU-76242	UTU-38426	UTU-78734	
UTU-78032	UTU-38427	UTU-79012	
UTU-4377	UTU-38428	UTU-79011	
UTU-4378	UTU-53861	UTU-71694	
UTU-7386	UTU-58097	UTU-00576	
UTU-8344A	UTU-64376	UTU-00647	
UTU-8345	UTU-65222	UTU-01470D	
UTU-8347	UTU-65223	UTU-0136484	
UTU-8621	UTU-66746	UTU-8344	
UTU-14646	UTU-67178	UTU-8346	
UTU-15855	UTU-67549	UTU-8648	
UTU-25880	UTU-72028	UTU-28212	
UTU-28213	UTU-72632	UTU-30289	
UTU-29535	UTU-73009	UTU-31260	
UTU-29797	UTU-73010	UTU-33433	
UTU-31736	UTU-73013	UTU-34711	
UTU-34350	UTU-73175	UTU-46699	
UTU-34705	UTU-73434	UTU-78852	
UTU-37116	UTU-73435	UTU-78853	
UTU-37355	UTU-73444	UTU-78854	
UTU-37573	UTU-73450	UTU-075939	
UTU-38261	UTU-73900	UTU-0149767	
UTU-39223	UTU-74409	UTU-2078	
UTU-40729	UTU-74410	UTU-44426	
UTU-40736	UTU-74413	UTU-49530	
UTU-42469	UTU-74414	UTU-51026	

OPERATOR CHANGE WORKSHEET**ROUTING**

1. GLH	<input checked="" type="checkbox"/>	4-KAS	<input checked="" type="checkbox"/>
2. CDW	<input checked="" type="checkbox"/>	5-LP	<input checked="" type="checkbox"/>
3. JLT	<input type="checkbox"/>	6-FILE	<input type="checkbox"/>

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

X Merger

The operator of the well(s) listed below has changed, effective: **3-09-2001**

FROM: (Old Operator):
COASTAL OIL & GAS CORPORATION
Address: 9 GREENWAY PLAZA STE 2721
HOUSTON, TX 77046-0995
Phone: 1-(713)-418-4635
Account N0230

TO: (New Operator):
EL PASO PRODUCTION OIL & GAS COMPANY
Address: 9 GREENWAY PLAZA STE 2721 RM 2975B
HOUSTON, TX 77046-0995
Phone: 1-(832)-676-4721
Account N1845

CA No.

Unit: NATURAL BUTTES

WELL(S)

NAME	API NO	ENTITY NO	SEC TWN RNG	LEASE TYPE	WELL TYPE	WELL STATUS
NBU 176	43-047-32144	2900	28-09S-21E	FEDERAL	GW	P
NBU 217	43-047-32480	2900	28-09S-21E	FEDERAL	GW	S
NBU 307	43-047-33007	2900	28-09S-21E	FEDERAL	GW	P
NBU 260	43-047-33009	2900	28-09S-21E	FEDERAL	GW	P
NBU 308	43-047-33413	2900	28-09S-21E	FEDERAL	GW	DRL
NBU 362	43-047-33774	99999	28-09S-21E	FEDERAL	GW	APD
NBU 363X (RIG SKID)	43-047-34159	99999	28-09S-21E	FEDERAL	GW	DRL
NBU 15-29B	43-047-30296	2900	29-09S-21E	FEDERAL	GW	P
NBU 35Y	43-047-30503	2900	29-09S-21E	FEDERAL	GW	P
NBU 177	43-047-32112	2900	29-09S-21E	FEDERAL	GW	P
NBU 313-29E	43-047-32378	2900	29-09S-21E	FEDERAL	GW	P
NBU 356-29E	43-047-32383	2900	29-09S-21E	FEDERAL	GW	P
NBU 422-29E	43-047-33698	2900	29-09S-21E	FEDERAL	GW	P
NBU 364	43-047-33776	2900	29-09S-21E	FEDERAL	GW	DRL
NBU 36Y	43-047-30603	2900	30-09S-21E	FEDERAL	GW	P
NBU 178	43-047-32121	2900	30-09S-21E	FEDERAL	GW	P
NBU 261	43-047-32928	2900	30-09S-21E	FEDERAL	GW	P
NBU 309	43-047-33010	2900	30-09S-21E	FEDERAL	GW	P
NBU 262	43-047-32929	2900	33-09S-21E	FEDERAL	GW	P
NBU 98	43-047-31327	2900	34-09S-21E	FEDERAL	GW	S

OPERATOR CHANGES DOCUMENTATION

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 06/19/2001
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 06/19/2001
- The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 06/21/2001
- Is the new operator registered in the State of Utah: YES Business Number: 608186-0143

5. If NO, the operator was contacted on: N/A
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 07/10/2001
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: 07/10/2001
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: 07/10/2001
9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 08/01/2001
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 08/01/2001
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE BOND VERIFICATION:

1. State well(s) covered by Bond No.: N/A

FEDERAL BOND VERIFICATION:

1. Federal well(s) covered by Bond No.: WY 2793

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond No: N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

FILMING:

1. All attachments to this form have been **MICROFILMED** on: _____

FILING:

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filled in each well file on: _____

COMMENTS: Master list of all wells involved in operator change from Coastal Oil & Gas Corporation to El Paso Production Oil and Gas Company shall be retained in the "Operator Change File".

JAN. 17. 2003 3:34PM

PORT

NO. 173 P. 2

**WESTPORT OIL AND GAS COMPANY, L.P.**

410 Seventeenth Street #2300 Denver Colorado 80202-4436
Telephone: 303 573 5404 Fax: 303 573 5609

February 1, 2002

Department of the Interior
Bureau of Land Management
2850 Youngfield Street
Lakewood, CO 80215-7093
Attention: Ms. Martha Maxwell

RE: BLM Bond CO-1203
BLM Nationwide Bond 158626364
Surety - Continental Casualty Company
Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Conversion of Westport Oil and Gas Company, Inc., into Westport Oil and Gas Company, L.P.
Assumption Rider - Westport Oil and Gas Company, L.P.

Dear Ms. Maxwell:

Pursuant to our recent conversations, please find the following list of enclosures for the BLM's consideration and approval:

Two (2) Assumption Riders, fully executed originals.
Copies of Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Copies of Westport Oil and Gas Company, Inc., conversion into Westport Oil and Gas Company, L.P.
List of all Federal/BIA/State Leases - Belco/Westport's leases - in all states.

Please inform us of any additional information needed to complete the change to Westport Oil and Gas Company, L.P., as operator of record.

I thank you for your assistance and cooperation in this matter. Please do not hesitate contacting the undersigned, should a question arise.

Sincerely,
Westport Oil and Gas Company, L.P.

Debby J. Black
Engineer Technician

Encl:



United States Department of the Interior

RECEIVED

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

FEB 22 2002

DIVISION OF
OIL, GAS AND MINING

In Reply Refer To:

3106

UTU-25566 et al

(UT-924)

FEB 21 2002

NOTICE

Westport Oil and Gas Company L.P. : Oil and Gas
410 Seventeenth Street, #2300 :
Denver Colorado 80215-7093 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of Westport Oil and Gas Company, Inc. into Westport Oil and Gas Company, L.P. with Westport Oil and Gas Company, L.P. being the surviving entity.


For our purposes, the name change is recognized effective December 31, 2001.

The oil and gas lease files identified have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Westport Oil and Gas Company, Inc. to Westport Oil and Gas Company, L.P. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Colorado.

UTU-03405
UTU-20895
UTU-25566
UTU-43156
UTU-49518
UTU-49519
UTU-49522
UTU-49523



Robert Lopez
Chief, Branch of
Minerals Adjudication

cc: Moab Field Office
Vernal Field Office
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)

memorandum

Branch of Real Estate Services
Uintah & Ouray Agency

Date: 5 December, 2002

Reply to
Attn of: Supervisory Petroleum Engineer

Subject: Modification of Utah Division of Oil, Gas and Mining Regulations

To: Director, Utah Division of Oil, Gas and Mining Division: John Baza

We have been advised of changes occurring with the operation of your database for Change of Operator. You will be modifying your records to reflect Change of Operator once you have received all necessary documentation from the companies involved, and perhaps in advance of our Notice of Concurrence/Approval of Change of Operator where Indian leases are involved.


We have no objection.

With further comment to Rulemaking, I wish to comment concerning the provision of Exhibits for upcoming Hearings. I would like to see the Uintah & Ouray Agency, BIA, and the Ute Indian Tribe, Energy & Mineral Resources Department added to the list of those parties that receive advance Exhibits so as to allow us to have research time prior to Hearing dates. We will be able to provide a more informed recommendation to the Oil, Gas and Mining Board. It would be best if we would receive only those Exhibits that concern Indian lands, specifically on or adjacent to Indian lands. This may be a difficult situation to attain, as it is not always clear where 'on or adjacent' occurs.

I am aware that you have gone to extra effort to correct this matter already, and I fully appreciate it. My request is intended only to allow the addition of Uintah & Ouray Agency and Ute Indian Tribe to the official listing.

We appreciate your concern, and hope that these comments are timely enough for consideration in the revision process.

CC: Minerals & Mining Section of RES
Ute Energy & Mineral Resources Department: Executive Director
chrono





IN REPLY REFER TO:
Real Estate Services

United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Washington, D.C. 20240

FEB 10 2003

Carroll A. Wilson
Principal Landman
Westport Oil and Gas Company, L.P.
1368 South 1200 East
Vernal, Utah 84078

Dear Mr. Wilson:

This is in response to your request for approval of RLI Insurance Company's Nationwide Oil and Gas Lease Bond No. RLB0005239 executed effective December 17, 2002, (\$150,000 coverage) with Westport Oil and Gas Company, L. P., as principal.

This bond is hereby approved as of the date of this correspondence and will be retained in the Bureau of Indian Affairs' Division of Real Estate Services, 1849 C Street, NW, MS-4512-MIB, Washington, D.C. 20240. All Bureau oil and gas regional offices and the surety are being informed of this action.

In cases where you have existing individual and/or collective bonds on file with one or more of our regional offices, you may now request those offices, directly, to terminate in lieu of coverage under this Nationwide Bond.

Enclosed is a copy of the approved bond for your files. If we may be of further assistance in this matter, please advise.

Sincerely,

A handwritten signature in black ink, reading "Perry E. Brown", is positioned above the title of the signatory.

Director, Office of Trust Responsibilities

ACTING

Enclosure



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-922

February 27, 2003

Westport Oil and Gas Company, L.P.
Attn: Gary D. Williamson
1670 Broadway, Suite 2800
Denver, Colorado 80202

Re: Natural Buttes Unit
Uintah County, Utah

Gentlemen:

On February 27, 2003, we received an indenture dated December 17, 2002, whereby El Paso Production Oil & Gas Company resigned as Unit Operator and Westport Oil and Gas Company, L.P., was designated as Successor Unit Operator for the Natural Buttes Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 27, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Natural Buttes Unit Agreement.

Your nationwide (Colorado) oil and gas bond No. 1203 will be used to cover all operations within the Natural Buttes Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
Minerals Adjudication Group
File - Natural Buttes Unit (w/enclosure)
Agr. Sec. Chron
Fluid Chron

UT922:TAThompson:tt:02/27/2003

RECEIVED

FEB 28 2003

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: El Paso Production Oil & Gas Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 9 Greenway Plaza CITY Houston STATE TX ZIP 77064-0995 PHONE NUMBER: (832) 676-5933		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: COUNTY: QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: UTAH		8. WELL NAME and NUMBER: Exhibit "A"
		9. API NUMBER:
		10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> DEEPEN <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> NEW CONSTRUCTION <input checked="" type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> PLUG BACK <input type="checkbox"/> PRODUCTION (START/RESUME) <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	<input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> WATER SHUT-OFF <input type="checkbox"/> OTHER: _____
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____			

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Operator change to Westport Oil and Gas Company, L.P., 1670 Broadway, Suite 2800, Denver, CO. 80202-4800, effective December 17, 2002.

BOND # _____

State Surety Bond No. RLB0005236
Fee Bond No. RLB0005238


EL PASO PRODUCTION OIL & GAS COMPANY

By: 
Jon R. Nelsen, Attorney-in-Fact

RECEIVED

FEB 28 2003

DIV. OF OIL, GAS & MINING

WESTPORT OIL AND GAS COMPANY, L.P.	
NAME (PLEASE PRINT) David R. Dix	TITLE Agent and Attorney-in-Fact
SIGNATURE 	DATE 12/17/02

(This space for State use only)

Form 3160-5
(August 1999)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an
abandoned well. Use Form 3160-3 (APD) for such proposals.FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

5. Lease Serial No.

SEE ATTACHED EXHIBIT "A"

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

SEE ATTACHED EXHIBIT "A"

9. API Well No.

SEE ATTACHED EXHIBIT "A"

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UT

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY, L.P.

3a. Address

P.O. BOX 1148 VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7023

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED EXHIBIT "A"

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	SUCCESSOR OF
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	OPERATOR

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompletes horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zc. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed when testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator determined that the site is ready for final inspection.

WESTPORT OIL & GAS COMPANY, L.P., IS CONSIDERED TO BE THE OPERATOR ON THE ATTACHED DESCRIBED LANDS AND IS RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR THE OPERATIONS CONDUCTED ON THE LEASED LANDS OR PORTIONS THEREOF, BOND COVERAGE FOR THIS WELL IS PROVIDED BY FEDERAL NATIONWIDE BOND NO. 158626364, EFFECTIVE FEBRUARY 1, 2002, AND BIA NATIONWIDE BOND NO. RLB0006239, EFFECTIVE FEBRUARY 10, 2003.

RECEIVED

MAR 04 2003

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

CHERYL CAMERON

Title

OPERATIONS

Date

March 4, 2003

DIV. OF OIL, GAS & MINING

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH

2. CDW ✓

3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: 12-17-02

FROM: (Old Operator):	TO: (New Operator):
EL PASO PRODUCTION OIL & GAS COMPANY	WESTPORT OIL & GAS COMPANY LP
Address: 9 GREENWAY PLAZA	Address: P O BOX 1148
HOUSTON, TX 77064-0995	VERNAL, UT 84078
Phone: 1-(832)-676-5933	Phone: 1-(435)-781-7023
Account No. N1845	Account No. N2115

CA No. Unit: NATURAL BUTTES

WELL(S)

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
NBU 166	28-09S-21E	43-047-32065	2900	FEDERAL	GW	P
NBU 307	28-09S-21E	43-047-33007	2900	FEDERAL	GW	P
NBU 260	28-09S-21E	43-047-33009	2900	FEDERAL	GW	P
NBU 435	28-09S-21E	43-047-34805	99999	FEDERAL	GW	APD
NBU 454	28-09S-21E	43-047-34698	99999	FEDERAL	GW	APD
NBU 422-29E	29-09S-21E	43-047-33698	2900	FEDERAL	GW	P
NBU 177	29-09S-21E	43-047-32112	2900	FEDERAL	GW	P
NBU 15-29B	29-09S-21E	43-047-30296	2900	FEDERAL	GW	P
NBU 35Y	29-09S-21E	43-047-30503	2900	FEDERAL	GW	P
NBU 313-29E	29-09S-21E	43-047-32378	2900	FEDERAL	GW	P
NBU 356-29E	29-09S-21E	43-047-32383	2900	FEDERAL	GW	P
NBU 455	29-09S-21E	43-047-34699	99999	FEDERAL	GW	APD
NBU 364	29-09S-21E	43-047-33776	2900	FEDERAL	GW	TA
UTE TRAIL U 12	29-09S-21E	43-047-15384	2900	FEDERAL	GW	PA
NBU 36Y	30-09S-21E	43-047-30603	2900	FEDERAL	GW	P
NBU 178	30-09S-21E	43-047-32121	2900	FEDERAL	GW	P
NBU 261	30-09S-21E	43-047-32928	2900	FEDERAL	GW	P
NBU 309	30-09S-21E	43-047-33010	2900	FEDERAL	GW	P
NBU 436	30-09S-21E	43-047-34780	99999	FEDERAL	GW	APD
NBU 460	30-09S-21E	43-047-34697	99999	FEDERAL	GW	APD

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 02/28/2003
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 03/04/2003
3. The new company has been checked through the Department of Commerce, Division of Corporations Database on: 03/06/2003
4. Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
5. If **NO**, the operator was contacted on: _____

6. (R649-9-2) Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM-12/31/2003 BIA-12/5/02

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 02/27/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 03/12/2003
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 03/12/2003
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: RLB 0005236

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 158626364

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: RLB 0005239

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB 0005238
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY, L.P.

3a. Address

P.O. BOX 1148 VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Multiple Wells - see attached

5. Lease Serial No.

Multiple Wells - see attached

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

891008900A

8. Well Name and No.

Multiple Wells - see attached

9. API Well No.

Multiple Wells - see attached

10. Field and Pool, or Exploratory Area

Natural Buttes Unit

11. County or Parish, State

Uintah County, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

Westport Oil & Gas requests a variance to Onshore Order No. 4, Part IIC.a. requiring each sales tank be equipped with a pressure-vacuum thief hatch and/or vent line valve. The variance is requested as an economic analysis shows the value of the shrunk condensate will not payout the incremental cost of purchasing and maintaining the valve resulting in a loss of value over the producing life of the well.

The volume lost to shrinkage by dropping the tank pressure from 6 ozs. to 0 psig is shown to be 0.3% of the tank volume. This was determined by lab analysis of a representative sample from the field. The sample shrunk from 98.82% of original volume to 98.52% when the pressure was dropped.

The average NBU well produces approximately 6 bbls condensate per month. The resulting shrinkage would amount to 0.56 bbls per month lost volume due to shrinkage. The value of the shrunk and lost condensate does not recoup or payout the cost of installing and maintaining the valves and other devices that hold the positive tank pressure. An economic run based on the loss and costs is attached.

Westport Oil & gas requests approval of this variance in order to increase the value of the well to the operator and the mineral royalty owners.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

J.T. Conley

Signature

COPY SENT TO OPERATOR

Date:

Initials:

Title

Operations Manager

SEP 10 2003

DIV. OF OIL, GAS & MINING

9-2-2003

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Accepted by the
Utah Division of
Oil, Gas and Mining

Date

Federal Approval of This
Action is Necessary

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Date:

9/16/03

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

NBU 200	20-9-21 SENE	UTU0570	891008900A	430473300000S1
NBU 261	30-9-21 SENW	UTU0581	891008900A	430473292800S1 ✓
NBU 262	33-9-21 NENE	UTU0576	891008900A	430473292900S1
NBU 263	34-9-21 SENW	U01194	891008900A	430473279300S1 ✓
NBU 264	1-10-21 SESW	U02842B	891008900A	430473300000S1
NBU 265	2-10-21 NESE	ML13826	891008900A	430473279600S1 ✓
NBU 266	10-10-21 SWNW	UTU0149079	891008900A	430473294100S1
NBU 267	10-10-21 NESW	UTU01416A	891008900A	430473294200S1
NBU 268	11-10-21 NENE	U01190	891008900A	430473300100S1
NBU 269	12-10-21 SWNW	UTU1196D	891008900A	430473347300S1
NBU 270	13-10-21 SWNW	ML23608	891008900A	430473286200S1 ✓
NBU 271	24-10-20 SWNW	UTU4485	891008900A	430473288700S1
NBU 272	11-10-22 SWNE	U01197A	891008900A	430473288900S1 ✓
NBU 273	22-9-21 NWNW	UTU0147566	891008900A	430473290600S1
NBU 274	23-9-21 NESW	UTU149075	891008900A	430473290700S1
NBU 275	9-9-21 NWSW	UTU01188	891008900A	430473290500S1
NBU 277	19-9-22 SENE	UTU0284	891008900A	430473304200S1
NBU 278	30-9-22 SWSW	U463	891008900A	430473301100S1
NBU 280	31-9-22 NESW	ML22935A	891008900A	430473286500S1 ✓
NBU 281	32-9-22 SWSW	ML22649	891008900A	430473286600S1 ✓
NBU 282	32-9-22 NESE	ML22649	891008900A	430473286700S1
NBU 285	3-10-22 NWNW	UTU01191	891008900A	430473297600S1
NBU 286	3-10-22 SENW	UTU01191	891008900A	430473298400S1
NBU 287	3-10-22 NESE	UTU01191A	891008900A	430473298500S1
NBU 288	3-10-22 NWSW	UTU01191	891008900A	430473298600S1
NBU 289	3-10-22 SESW	UTU01191	891008900A	430473291000S1
NBU 290	3-10-22 SWSE	UTU01191A	891008900A	430473298700S1
NBU 291	9-10-22 NENE	UTU01196D	891008900A	430473291100S1
NBU 292	9-10-22 SWNE	UTU1196D	891008900A	430473347400S1
NBU 293	10-10-22 SENE	UTU025187	891008900A	430473318200S1
NBU 294X	22-9-20 NENW	UTU0577B	891008900A	430473346500S1
NBU 295	12-10-20 SWSW	UTU4478	891008900A	430473293900S1
NBU 296	24-10-20 NWNE	UTU4485	891008900A	430473288600S1
NBU 297	11-9-21 SWNW	UTU0141315	891008900A	430473304000S1
NBU 298	15-9-21 NESW	UTU01188	891008900A	430473304100S1
NBU 299	16-9-21 SWNE	ML3282	891008900A	430473301200S1
NBU 300	21-9-21 NWNW	UTU0576	891008900A	430473302300S1
NBU 301	25-9-21 NWSW	U01194	891008900A	430473285900S1 ✓
NBU 302	26-9-21 SWNW	U01194	891008900A	430473287700S1 ✓
NBU 303	26-9-21 SESE	ML22934	891008900A	430473287800S1 ✓
NBU 304	27-9-21 SESE	U01194A	891008900A	430473287900S1 ✓
NBU 305	27-9-21 SWSE	U01194A	891008900A	430473288000S1 ✓
NBU 306	27-9-21 NWNW	U01194A	891008900A	430473286000S1 ✓
NBU 307	28-9-21 NWNE	U05676	891008900A	430473300700S1
NBU 308	28-9-21 SENW	U05676	891008900A	430473314300S1
NBU 309	30-9-21 NENE	UTU0581	891008900A	430473301000S1
NBU 310	35-9-21 NENW	U01194	891008900A	430473288200S1 ✓
NBU 311	4-10-22 NESE	UTU01191	891008900A	430473283700S1
NBU 312-E2	2-9-21 SWSE	UTU21510	891008900A	430473228800S1 ✓
NBU 313	4-10-22 NENW	UTU01191A	891008900A	430473283800S1
NBU 315	11-9-21 SENE	UTU0141317	891008900A	430473387900S1
NBU 316	11-9-21 SWNE	UTU0141317	891008900A	430473441300S1
NBU 317	13-9-21 NENE	U-01193	891008900A	430473392100S1
NBU 318	13-9-21 SWNE	UTU01193	891008900A	430473388000S1
NBU 320	25-9-21 NWNW	U01189	891008900A	430473320100S1
NBU 321	26-9-21 SWSW	U01194	891008900A	430473320200S1 ✓
NBU 322	34-9-21 SESW	U01994	891008900A	430473320300S1 ✓
NBU 323	30-9-22 NENE	U-463	891008900A	430473405000S1
NBU 326	31-9-22 NESW	ML22935A	891008900A	430473320400S1 ✓
NBU 327	33-9-22 SWSE	UTU01191	891008900A	430473373500S1
NBU 329	1-10-21 NESW	UTU02842B	891008900A	430473322700S1
NBU 330	3-10-21 NENE	UTU0149078	891008900A	430473322800S1
NBU 331	3-10-21 NWNE	UTU0149078	891008900A	430473322900S1

Westport Oil & Gas, L.P.

Project Economics Worksheet

Instructions:

Fill in blue boxed areas with before and after project data. The evaluation results are shown below and graphed automatically at the bottom of the page. This sheet is protected to prevent accidental alteration of the formulas. See JTC for changes. OPX entered as annual costs and/or as unit OPX costs for \$/BF and \$/MCF

Project Name:

Condensate Shrinkage Economics

Is this job a well pull or production rig job ??? ☐ N (Y or N)

	BEFORE \$/Year	AFTER \$/Year	DIFFERENCE \$/Year
Gross Oil Revenue	\$1,088	\$1,099	\$11
Gross Gas Revenue	\$0	\$0	\$0
NGL Revenue	\$0	\$0	\$0
PULING UNIT SERVICE			\$0
WIRELINE SERVICE			\$0
SUBSURF EQUIP REPAIRS			\$0
COMPANY LABOR			\$0
CONTRACT LABOR	\$0	\$200	\$200
CONTR SERVICE			\$0
LEASE FUEL GAS	\$0	\$0	\$0
UTILITIES - ELECTRICITY	\$0	\$0	\$0
CHEMICAL TREATING			\$0
MATERIAL & SUPPLY	\$0	\$150	\$150
WATER & HAULING			\$0
ADMINISTRATIVE COSTS			\$0
GAS PLANT PROCESSING			\$0
Totals	\$0	\$350	\$350

Increased OPX Per Year

Investment Breakdown:

	Cap/Exp Code	Cost, \$
Capital \$	830/830/840	\$1,200
Expense \$	830/840	\$0
Total \$		\$1,200

Oil Price	\$ 23.00	\$/BO
Gas Price	\$ 3.10	\$/MCF
Electric Cost	\$ -	\$/ HP / day
OPX/BF	\$ 2.00	\$/BF
OPX/MCF	\$ 0.62	\$/MCF

Production & OPX Detail:

	Before	After	Difference
Oil Production	0.192 BOPD	0.194 BOPD	0.002 BOPD
Gas Production	0 MCFPD	0 MCFPD	0 MCFPD
Wtr Production	0 BWPD	0 BWPD	0 BWPD
Horse Power	0 HP	0 HP	0 HP
Fuel Gas Burned	0 MCFPD	0 MCFPD	0 MCFPD

Project Life:

Life = 20.0 Years
(Life no longer than 20 years)

Internal Rate of Return:

After Tax IROR = #DIV/0!

AT Cum Cashflow:

Operating Cashflow = (\$2,917) (Discounted @ 10%)

Payout Calculation:

$$\text{Payout} = \frac{\text{Total Investment}}{\text{Sum(OPX + Incremental Revenue)}} = 1$$

Payout occurs when total AT cashflow equals investment
See graph below, note years when cashflow reaches zero

Payout = NEVER Years or #VALUE! Days


Gross Reserves:

Oil Reserves = 6 BO
Gas Reserves = 0 MCF
Gas Equiv Reserves = 38 MCFE

Notes/Assumptions:

An average NGL well produces 0.192 Bopd with no tank pressure. The production is increased to 0.194 Bopd if a case of pressure are added on the tank. The increased production does not payed the valve cost or the estimated annual maintenance costs.

Project: Condensate Shrinkage Economics



Westport Oil and Gas, Inc.
NBU/Ourray Field
RFL 2003-022

COMPARISON OF FLASH BACK PRESSURES

Calculated by Characterized Equation-of-State

Flash Conditions		Gas/Oil Ratio (scf/STbbl) (A)	Specific Gravity of Flashed Gas (Air=1.000)	Separator Volume Factor (B)	Separator Volume Percent (C)
psig	°F				

Calculated at Laboratory Flash Conditions

80	70			1.019	
0	122	30.4	0.993	1.033	101.37%
0	60	0.0	—	1.000	98.14%

Calculated Flash with Backpressure using Tuned EOS

80	70			1.015	
6.0 oz	65	24.6	0.777	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
4.0 oz	65	24.7	0.778	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
2.0 oz	65	24.7	0.779	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
0	65	24.8	0.780	1.003	98.82%
0	60	0.0	—	1.000	98.52%

(A) Cubic Feet of gas at 14.696 psia and 60 °F per Barrel of Stock Tank Oil at 60 °F.

(B) Barrels of oil at indicated pressure and temperature per Barrel of Stock Tank Oil at 60 °F.

(C) Oil volume at indicated pressure and temperature as a percentage of original saturated oil volume.

Note: Bubblepoint of sample in original sample container was 80 psig at 70° F with 1 cc water

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ

2. CDW

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

1/6/2006

FROM: (Old Operator):

N2115-Westport Oil & Gas Co., LP
 1368 South 1200 East
 Vernal, UT 84078
 Phone: 1-(435) 781-7024

TO: (New Operator):

N2995-Kerr-McGee Oil & Gas Onshore, LP
 1368 South 1200 East
 Vernal, UT 84078
 Phone: 1-(435) 781-7024

CA No.		Unit:		NATURAL BUTTES UNIT				
WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 5/10/2006
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 5/10/2006
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 3/7/2006
- a. Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
- b. If **NO**, the operator was contacted on: _____
- 5a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- 5b. Inspections of LA PA state/fee well sites complete on: n/a 3 LA wells & all PA wells transferred
- 5c. Reports current for Production/Disposition & Sundries on: ok
- 6. Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 3/27/2006 BIA not yet
- 7. Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 3/27/2006
- 8. Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- 9. Underground Injection Control ("UIC")** The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 5/15/2006
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 5/15/2006
- Bond information entered in RBDMS on: 5/15/2006
- Fee/State wells attached to bond in RBDMS on: 5/16/2006
- Injection Projects to new operator in RBDMS on: _____
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a Name Change Only

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: CO1203
- Indian well(s) covered by Bond Number: RLB0005239
- (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB0005236
- a. The **FORMER** operator has requested a release of liability from their bond on: n/a rider added KMG
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 5/16/2006

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

KERR-McGEE OIL & GAS ONSHORE LP

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED

5. Lease Serial No.

MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

MUTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

☐ Notice of Intent

☒ Subsequent Report

☐ Final Abandonment Notice

☐ Acidize

☐ Alter Casing

☐ Casing Repair

☐ Change Plans

☐ Convert to Injection

☐ Deepen

☐ Fracture Treat

☐ New Construction

☐ Plug and Abandon

☐ Plug Back

☐ Production (Start/Resume)

☐ Reclamation

☐ Recomplete

☐ Temporarily Abandon

☐ Water Disposal

☐ Water Shut-Off

☐ Well Integrity

☒ Other **CHANGE OF OPERATOR**

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

PLEASE BE ADVISED THAT KERR-McGEE OIL & GAS ONSHORE LP, IS CONSIDERED TO BE THE OPERATOR OF THE ATTACHED WELL LOCATIONS. EFFECTIVE JANUARY 6, 2006.

KERR-McGEE OIL & GAS ONSHORE LP, IS RESPONSIBLE UNDER TERMS AND CONDITIONS OF THE LEASE(S) FOR THE OPERATIONS CONDUCTED UPON LEASE LANDS. BOND COVERAGE IS PROVIDED BY STATE OF UTAH NATIONWIDE BOND NO. RLB0005237.

RECEIVED

MAY 10 2006

DIV. OF OIL, GAS & MINING

BLM BOND = C01203

BIA BOND = RLB0005237

APPROVED 5/16/06

Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

RANDY BAYNE

Title

DRILLING MANAGER

Signature

Date

May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

5. Lease Serial No.

MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

MUTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY L.P.

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

EFFECTIVE JANUARY 6, 2006, WESTPORT OIL & GAS COMPANY L.P., HAS RELINQUISHED THE OPERATORSHIP OF THE ATTACHED WELL LOCATIONS TO KERR-McGEE OIL & GAS ONSHORE LP.

APPROVED 5/16/06

Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

RECEIVED

MAY 10 2006

DIV OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

BRAD LANEY

Signature

Title

ENGINEERING SPECIALIST

Date

May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Brad Laney

Title

Office

Date

5-9-06

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Colorado State Office
2850 Youngfield Street
Lakewood, Colorado 80215-7076

IN REPLY REFER TO:

CO922 (MM)
3106
COC017387 et. al.

March 23, 2006

NOTICE

Kerr-McGee Oil & Gas Onshore L.P. :
1999 Broadway, Suite 3700 : Oil & Gas
Denver, CO 80202 :

Merger/Name Change - Recognized

On February 28, 2006 this office received acceptable evidence of the following mergers and name conversion:

Kerr-McGee Oil & Gas Onshore L.P., a Delaware Limited Partnership, and Kerr-McGee Oil & Gas Onshore LLC, a Delaware Limited Partnership merger with and into Westport Oil and Gas Company L.P., a Delaware Limited Partnership, and subsequent Westport Oil & Gas Company L.P. name conversion to Kerr-McGee Oil & Gas Onshore L.P.

For our purposes the merger and name conversion was effective January 4, 2006, the date the Secretary of State of Delaware authenticated the mergers and name conversion.

Kerr-McGee Oil & Gas Onshore L.P. provided a list of oil and gas leases held by the merging parties with the request that the Bureau of Land Management change all their lease records from the named entities to the new entity, Kerr-McGee Oil & Gas Onshore L.P. In response to this request each state is asked to retrieve their own list of leases in the names of these entities from the Bureau of Land Management's (BLM) automated LR2000 data base.

The oil and gas lease files identified on the list provided by Kerr-McGee Oil & Gas Onshore L.P. have been updated as to the merger and name conversion. We have not abstracted the lease files to determine if the entities affected by the acceptance of these documents holds an interest in the lease, nor have we attempt to identify leases where the entity is the operator on the ground that maintains vested record title or operating rights interests. If additional documentation, for change of operator, is required you will be contacted directly by the appropriate Field Office. The Mineral Management Services (MMS) and other applicable BLM offices were notified of the merger with a copy of this notice

Please contact this office if you identify additional leases where the merging party maintains an interest, under our jurisdiction, and we will document the case files with a copy of this notice. If the leases are under the jurisdiction of another State Office that information will be forwarded to them for their action.

Three riders accompanied the merger/name conversion documents which will add Kerr-McGee Oil and Gas Onshore LLC as a principal to the 3 Kerr-McGee bonds maintained by the Wyoming State Office. These riders will be forward to them for their acceptance.

The Nationwide Oil & Gas Continental Casualty Company Bond #158626364 (BLM Bond #CO1203), maintained by the Colorado State Office, will remain in full force and effect until an assumption rider is accepted by the Wyoming State Office that conditions their Nationwide Safeco bond to accept all outstanding liability on the oil and gas leases attached to the Colorado bond.

If you have questions about this action you may call me at 303.239.3768.

/s/Martha L. Maxwell
Martha L. Maxwell
Land Law Examiner
Fluid Minerals Adjudication

Attachment:

List of OG Leases to each of the following offices:

MMS MRM, MS 357B-1

WY, UT, NM/OK/TX, MT/ND, WY State Offices

CO Field Offices

Wyoming State Office

Rider #1 to Bond WY2357

Rider #2 to Bond WY1865

Rider #3 to Bond WY1127



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155
<http://www.blm.gov>



IN REPLY REFER TO:
3106
(UT-922)

March 27, 2006

Memorandum

To: Vernal Field Office

From: Chief, Branch of Fluid Minerals

Subject: Merger Approval

Attached is an approved copy of the merger recognized by the Bureau of Land Management, Colorado State Office. We have updated our records to reflect the merger from Westport Oil and Gas Company L.P. into Kerr-McGee Onshore Oil and Gas Company. The merger was approved effective January 4, 2006.

Chief, Branch of
Fluid Minerals

Enclosure

Approval letter from BLM COSO (2 pp)

cc: MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225
State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114
Teresa Thompson
Joe Incardine
Connie Seare
Dave Mascarenas
Susan Bauman

RECEIVED

MAR 28 2006

DIV. OF OIL, GAS & MIN. LB